

[Multiomic analysis of oral keratinocytes chronically exposed to shisha.](#)

Patil S, Patel K, Advani J, Subbannayya T, Rajagopalan P, Babu N, Solanki H, Bhandi S, Sidransky D, Chatterjee A, Gowda H, **Ferrari M**.

J Oral Pathol Med. 2019 Jan 19. doi: 10.1111/jop.12828. [Epub ahead of print]

PMID:

30659648

[Similar articles](#)

Select item 306049002.

[The relationship of "shisha" \(water pipe\) smoking to the risk of head and neck cancer.](#)

Patil S, Awan KH, Arakeri G, Aljabab A, **Ferrari M**, Gomes CC, Gomez RS, Brennan PA.

J Oral Pathol Med. 2019 Jan 3. doi: 10.1111/jop.12823. [Epub ahead of print]

PMID:

30604900

[Similar articles](#)

Select item 304823913.

[Influence of glass-ceramic coating on composite zirconia bonding and its characterization.](#)

Thammajaruk P, Buranadham S, Thanatvarakorn O, **Ferrari M**, Guazzato M.

Dent Mater. 2019 Jan;35(1):105-113. doi: 10.1016/j.dental.2018.11.001. Epub 2018 Nov 24.

PMID:

30482391

[Similar articles](#)

Select item 303466754.

[The ability of marginal detection using different intraoral scanning systems: A pilot randomized controlled trial.](#)

Ferrari M, Keeling A, Mandelli F, Lo Giudice G, Garcia-Godoy F, Joda T.

Am J Dent. 2018 Oct;31(5):272-276.

PMID:

30346675

[Similar articles](#)

Select item 301441595.

[Patient Reported Outcome Measures \(PROMs\) of posterior single-implant crowns using digital workflows: A randomized controlled trial with a three-year follow-up.](#)

Joda T, **Ferrari M**, Bragger U, Zitzmann NU.

Clin Oral Implants Res. 2018 Sep;29(9):954-961. doi: 10.1111/clr.13360. Epub 2018 Aug 24.

PMID:

30144159

[Similar articles](#)

Select item 300494686.

[Influence of Access Cavity Preparation and Remaining Tooth Substance on Fracture Strength of Endodontically Treated Teeth.](#)

Corsentino G, Pedullà E, Castelli L, Liguori M, Spicciarelli V, Martignoni M, **Ferrari M**, Grandini S.

J Endod. 2018 Sep;44(9):1416-1421. doi: 10.1016/j.joen.2018.05.012. Epub 2018 Jul 23.

PMID:

30049468

[Similar articles](#)

Select item 300289327.

[Sealing effectiveness against Staphylococcus aureus of five different implant-abutment connections.](#)

Discepoli N, Ferrari Cagidiaco E, Landini G, Pallecchi L, Garcia-Godoy F, **Ferrari M**.
Am J Dent. 2018 Jun;31(3):141-143.

PMID:

30028932

[Similar articles](#)

Select item 299921358.

[Evaluation of the Effect of Different Types of Abrasive Surface Treatment before and after Zirconia Sintering on Its Structural Composition and Bond Strength with Resin Cement.](#)

Skienhe H, Habchi R, Ounsi H, **Ferrari M**, Salameh Z.

Biomed Res Int. 2018 May 27;2018:1803425. doi: 10.1155/2018/1803425. eCollection 2018.

PMID:

29992135

Free PMC Article

[Similar articles](#)

Select item 299301109.

[Analysis of shared heritability in common disorders of the brain.](#)

Brainstorm Consortium, Anttila V, Bulik-Sullivan B, Finucane HK, Walters RK, Bras J, Duncan L, Escott-Price V, Falcone GJ, Gormley P, Malik R, Patsopoulos NA, Ripke S, Wei Z, Yu D, Lee PH, Turley P, Grenier-Boley B, Chouraki V, Kamatani Y, Berr C, Letenneur L, Hannequin D, Amouyel P, Boland A, Deleuze JF, Duron E, Vardarajan BN, Reitz C, Goate AM, Huentelman MJ, Kamboh MI, Larson EB, Rogaeva E, St George-Hyslop P, Hakonarson H, Kukull WA, Farrer LA, Barnes LL, Beach TG, Demirci FY, Head E, Hulette CM, Jicha GA, Kauwe JSK, Kaye JA, Leverenz JB, Levey AI, Lieberman AP, Pankratz VS, Poon WW, Quinn JF, Saykin AJ, Schneider LS, Smith AG, Sonnen JA, Stern RA, Van Deerlin VM, Van Eldik LJ, Harold D, Russo G, Rubinsztein DC, Bayer A, Tsolaki M, Proitsi P, Fox NC, Hampel H, Owen MJ, Mead S, Passmore P, Morgan K, Nöthen MM, Rossor M, Lupton MK, Hoffmann P, Kornhuber J, Lawlor B, McQuillin A, Al-Chalabi A, Bis JC, Ruiz A, Boada M, Seshadri S, Beiser A, Rice K, van der Lee SJ, De Jager PL, Geschwind DH, Riemenschneider M, Riedel-Heller S, Rotter JI, Ransmayr G, Hyman BT, Cruchaga C, Alegret M, Winsvold B, Palta P, Farh KH, Cuenca-Leon E, Furlotte N, Kurth T, Ligthart L, Terwindt GM, Freilinger T, Ran C, Gordon SD, Borck G, Adams HHH, Lehtimäki T, Wedenoja J, Buring JE, Schürks M, Hrafnisdottir M, Hottenga JJ, Penninx B, Artto V, Kaunisto M, Vepsäläinen S, Martin NG, Montgomery GW, Kurki MI, Hämäläinen E, Huang H, Huang J, Sandor C, Webber C, Muller-Myhsok B, Schreiber S, Salomaa V, Loehrer E, Göbel H, Macaya A, Pozo-Rosich P, Hansen T, Werge T, Kaprio J, Metspalu A, Kubisch C, Ferrari MD, Belin AC, van den Maagdenberg AMJM, Zwart JA, Boomsma D, Eriksson N, Olesen J, Chasman DI, Nyholt DR, Avbersek A, Baum L, Berkovic S, Bradfield J, Buono R, Catarino CB, Cossette P, De Jonghe P, Depondt C, Dlugos D, Ferraro TN, French J, Hjalgrim H, Jamnadas-Khoda J, Kälviäinen R, Kunz WS, Lerche H, Leu C, Lindhout D, Lo W, Lowenstein D, McCormack M, Møller RS, Molloy A, Ng PW, Oliver K, Privitera M, Radtke R, Ruppert AK, Sander T, Schachter S, Schankin C, Scheffer I, Schoch S, Sisodiya SM, Smith P, Sperling M, Striano P, Surges R, Thomas GN, Visscher F, Whelan CD, Zara F, Heinzen EL, Marson A, Becker F, Stroink H, Zimprich F, Gasser T, Gibbs R, Heutink P, Martinez M, Morris HR, Sharma M, Ryten M, Mok KY, Pulit S, Bevan S, Holliday E, Attia J, Battey T, Boncoraglio G, Thijs V, Chen WM, Mitchell B, Rothwell P, Sharma P, Sudlow C, Vicente A, Markus H, Kourkoulis C, Pera J, Raffeld M, Silliman S, Boraska Perica V, Thornton LM, Huckins LM, William Rayner N, Lewis CM, Gratacos M, Rybakowski F, Keski-Rahkonen A, Raevuori A, Hudson JI, Reichborn-Kjennerud T, Monteleone P, Karwautz A, Mannik K, Baker JH, O'Toole JK, Trace SE, Davis OSP, Helder SG, Ehrlich S, Herpertz-Dahlmann B, Danner UN, van Elburg AA, Clementi M, Forzan M,

Docampo E, Lissowska J, Hauser J, Tortorella A, Maj M, Gonidakis F, Tziouvas K, Papezova H, Yilmaz Z, Wagner G, Cohen-Woods S, Herms S, Julià A, Rabionet R, Dick DM, Ripatti S, Andreassen OA, Espeseth T, Lundervold AJ, Steen VM, Pinto D, Scherer SW, Aschauer H, Schosser A, Alfredsson L, Padyukov L, Halmi KA, Mitchell J, Strober M, Bergen AW, Kaye W, Szatkiewicz JP, Cormand B, Ramos-Quiroga JA, Sánchez-Mora C, Ribasés M, Casas M, Hervas A, Arranz MJ, Haavik J, Zayats T, Johansson S, Williams N, Dempfle A, Rothenberger A, Kuntsi J, Oades RD, Banaschewski T, Franke B, Buitelaar JK, Arias Vasquez A, Doyle AE, Reif A, Lesch KP, Freitag C, Rivero O, Palmason H, Romanos M, Langley K, Rietschel M, Witt SH, Dalsgaard S, Børglum AD, Waldman I, Wilmot B, Molly N, Bau CHD, Crosbie J, Schachar R, Loo SK, McGough JJ, Grevet EH, Medland SE, Robinson E, Weiss LA, Bacchelli E, Bailey A, Bal V, Battaglia A, Betancur C, Bolton P, Cantor R, Celestino-Soper P, Dawson G, De Rubeis S, Duque F, Green A, Klauck SM, Leboyer M, Levitt P, Maestrini E, Mane S, De-Luca DM, Parr J, Regan R, Reichenberg A, Sandin S, Vorstman J, Wassink T, Wijsman E, Cook E, Santangelo S, Delorme R, Rogé B, Magalhaes T, Arking D, Schulze TG, Thompson RC, Strohmaier J, Matthews K, Melle I, Morris D, Blackwood D, McIntosh A, Bergen SE, Schalling M, Jamain S, Maaser A, Fischer SB, Reinbold CS, Fullerton JM, Guzman-Parra J, Mayoral F, Schofield PR, Cichon S, Mühleisen TW, Degenhardt F, Schumacher J, Bauer M, Mitchell PB, Gershon ES, Rice J, Potash JB, Zandi PP, Craddock N, Ferrier IN, Alda M, Rouleau GA, Turecki G, Ophoff R, Pato C, Anjorin A, Stahl E, Leber M, Czerski PM, Cruceanu C, Jones IR, Posthuma D, Andlauer TFM, Forstner AJ, Streit F, Baune BT, Air T, Sinnamon G, Wray NR, MacIntyre DJ, Porteous D, Homuth G, Rivera M, Grove J, Middeldorp CM, Hickie I, Pergadia M, Mehta D, Smit JH, Jansen R, de Geus E, Dunn E, Li QS, Nauck M, Schoevers RA, Beekman AT, Knowles JA, Viktorin A, Arnold P, Barr CL, Bedoya-Berrio G, Bienvenu OJ, Brentani H, Burton C, Camarena B, Cappi C, Cath D, Cavallini M, Cusi D, Darrow S, Denys D, Derks EM, Dietrich A, Fernandez T, Figeo M, Freimer N, Gerber G, Grados M, Greenberg E, Hanna GL, Hartmann A, Hirschtritt ME, Hoekstra PJ, Huang A, Huyser C, Illmann C, Jenike M, Kuperman S, Leventhal B, Lochner C, Lyon GJ, Macciardi F, Madruga-Garrido M, Malaty IA, Maras A, McGrath L, Miguel EC, Mir P, Nestadt G, Nicolini H, Okun MS, Pakstis A, Paschou P, Piacentini J, Pittenger C, Plessen K, Ramensky V, Ramos EM, Reus V, Richter MA, Riddle MA, Robertson MM, Roessner V, Rosário M, Samuels JF, Sandor P, Stein DJ, Tsetsos F, Van Nieuwerburgh F, Weatherall S, Wendland JR, Wolanczyk T, Worbe Y, Zai G, Goes FS, McLaughlin N, Nestadt PS, Grabe HJ, Depienne C, Konkashbaev A, Lanzagorta N, Valencia-Duarte A, Bramon E, Buccola N, Cahn W, Cairns M, Chong SA, Cohen D, Crespo-Facorro B, Crowley J, Davidson M, DeLisi L, Dinan T, Donohoe G, Drapeau E, Duan J, Haan L, Hougaard D, Karachanak-Yankova S, Khrunin A, Klovins J, Kučinskis V, Lee Chee Keong J, Limborska S, Loughland C, Lönngqvist J, Maher B, Mattheisen M, McDonald C, Murphy KC, Nenadic I, van Os J, Pantelis C, Pato M, Petryshen T, Quested D, Roussos P, Sanders AR, Schall U, Schwab SG, Sim K, So HC, Stögmänn E, Subramaniam M, Toncheva D, Waddington J, Walters J, Weiser M, Cheng W, Cloninger R, Curtis D, Gejman PV, Henskens F, Mattingsdal M, Oh SY, Scott R, Webb B, Breen G, Churchhouse C, Bulik CM, Daly M, Dichgans M, Faraone SV, Guerreiro R, Holmans P, Kendler KS, Koeleman B, Mathews CA, Price A, Scharf J, Sklar P, Williams J, Wood NW, Cotsapas C, Palotie A, Smoller JW, Sullivan P, Rosand J, Corvin A, Neale BM, Schott JM, Anney R, Elia J, Grigoriou-Serbanescu M, Edenberg HJ, Murray R.

Science. 2018 Jun 22;360(6395). pii: eaap8757. doi: 10.1126/science.aap8757.

PMID:

29930110

Free PMC Article

[Similar articles](#)

Select item 2992571010.

[Effects of scanning technique on in vitro performance of CAD/CAM-fabricated fiber posts.](#)

Tsintsadze N, Juloski J, Carrabba M, Goracci C, Vichi A, Grandini S, **Ferrari M.**

J Oral Sci. 2018;60(2):262-268. doi: 10.2334/josnusd.17-0254.

PMID:

29925710

Free Article

[Similar articles](#)

Select item 2969567111.

[Marginal sealing of relocated cervical margins of mesio-occluso-distal overlays.](#)

Köken S, Juloski J, Sorrentino R, Grandini S, **Ferrari M.**

J Oral Sci. 2018 Sep 23;60(3):460-468. doi: 10.2334/josnusd.17-0331. Epub 2018 Apr 25.

PMID:

29695671

Free Article

[Similar articles](#)

Select item 2959888212.

[Aging resistance, mechanical properties and translucency of different yttria-stabilized zirconia ceramics for monolithic dental crown applications.](#)

Camposilvan E, Leone R, Gremillard L, Sorrentino R, Zarone F, **Ferrari M**, Chevalier J.

Dent Mater. 2018 Jun;34(6):879-890. doi: 10.1016/j.dental.2018.03.006. Epub 2018 Mar 26.

PMID:

29598882

[Similar articles](#)

Select item 2956148113.

[Assessment of Atlanto-Axial and Mandibular Rotation by Cone Beam Computed Tomography.](#)

Galli M, Papini A, Buffoli B, **Ferrari M**, Labanca M, Rezzani R, Migliario M, Lucchina AG, Rodella LF.

J Craniofac Surg. 2018 Nov;29(8):2237-2240. doi: 10.1097/SCS.0000000000004476.

PMID:

29561481

[Similar articles](#)

Select item 2942246414.

[Structural and Morphological Evaluation of Presintered Zirconia following Different Surface Treatments.](#)

Skienhe H, Habchi R, Ounsi HF, **Ferrari M**, Salameh Z.

J Contemp Dent Pract. 2018 Feb 1;19(2):156-165.

PMID:

29422464

[Similar articles](#)

Select item 2929973015.

[The Functional Implant Prosthodontic Score \(FIPS\): assessment of reproducibility and observer variability.](#)

Joda T, Zarone F, Zitzmann NU, **Ferrari M.**

Clin Oral Investig. 2018 Jul;22(6):2319-2324. doi: 10.1007/s00784-017-2332-7. Epub 2018 Jan 3.

PMID:

29299730

[Similar articles](#)

Select item 2928410116.

[Effect of Finishing and Polishing on Roughness and Gloss of Lithium Disilicate and Lithium Silicate Zirconia Reinforced Glass Ceramic for CAD/CAM Systems.](#)

Vichi A, Fonzar RF, Goracci C, Carrabba M, **Ferrari M.**

Oper Dent. 2018 Jan/Feb;43(1):90-100. doi: 10.2341/16-381-L.

PMID:

29284101

[Similar articles](#)

Select item 2924957417.

[Ultimate force and stiffness of 2-piece zirconium dioxide implants with screw-retained monolithic lithium-disilicate reconstructions.](#)

Joda T, Voumard B, Zysset PK, Brägger U, **Ferrari M.**

J Prosthodont Res. 2018 Apr;62(2):258-263. doi: 10.1016/j.jpor.2017.11.002. Epub 2017 Dec 15.

PMID:

29249574

[Similar articles](#)

Select item 2917872718.

[Performance of CAD/CAM fabricated fiber posts in oval-shaped root canals: An in vitro study.](#)

Tsintsadze N, Juloski J, Carrabba M, Tricarico M, Goracci C, Vichi A, **Ferrari M**, Grandini S.

Am J Dent. 2017 Oct;30(5):248-254.

PMID:

29178727

[Similar articles](#)

Select item 2917872219.

[Case-specific finite element analysis of dental CAD/CAM prostheses to identify design flaws prior to manufacture.](#)

Apicella D, Joda T, Bonadeo G, Sorrentino R, **Ferrari M.**

Am J Dent. 2016 Dec;29(6):339-344.

PMID:

29178722

[Similar articles](#)

Select item 2915355220.

[Cervical margin relocation in indirect adhesive restorations: A literature review.](#)

Juloski J, Köken S, **Ferrari M.**

J Prosthodont Res. 2018 Jul;62(3):273-280. doi: 10.1016/j.jpor.2017.09.005. Epub 2017 Nov 15. Review.

PMID:

29153552

Free Article

[Similar articles](#)

Select item 2906138021.

[Influence of cervical margin relocation \(CMR\) on periodontal health: 12-month results of a controlled trial.](#)

Ferrari M, Koken S, Grandini S, Ferrari Cagidiaco E, Joda T, Discepoli N.

J Dent. 2018 Feb;69:70-76. doi: 10.1016/j.jdent.2017.10.008. Epub 2017 Oct 20.

PMID:

29061380

[Similar articles](#)

Select item 2892739322.

[The complete digital workflow in fixed prosthodontics: a systematic review.](#)

Joda T, Zarone F, **Ferrari M.**

BMC Oral Health. 2017 Sep 19;17(1):124. doi: 10.1186/s12903-017-0415-0. Review.

PMID:

28927393

Free PMC Article

[Similar articles](#)

Select item 2887724623.

[Prosthetic rehabilitation of oral submucous fibrosis patients: A systematic review of published case reports and case series.](#)

Patil S, Sarode SC, Sarode GS, Bhandi S, Awan KH, **Ferrari M.**

PLoS One. 2017 Sep 6;12(9):e0184041. doi: 10.1371/journal.pone.0184041. eCollection 2017. Review.

PMID:

28877246

Free PMC Article

[Similar articles](#)

Select item 2877138824.

[Post-Retained Single Crowns versus Fixed Dental Prosthesis: A 7-Year Prospective Clinical Study.](#)

Ferrari M, Sorrentino R, Juloski J, Grandini S, Carrabba M, Discepoli N, Ferrari Cagidiaco E.

J Dent Res. 2017 Dec;96(13):1490-1497. doi: 10.1177/0022034517724146. Epub 2017 Aug 3.

PMID:

28771388

Free Article

[Similar articles](#)

Select item 2869720925.

[Improvement of a Digital Impression with Conventional Materials: Overcoming Intraoral Scanner Limitations.](#)

Mandelli F, Ferrini F, Gastaldi G, Gherlone E, **Ferrari M.**

Int J Prosthodont. 2017 Jul/Aug;30(4):373-376. doi: 10.11607/ijp.5138.

PMID:

28697209

[Similar articles](#)

Select item 2827465126.

[Translucent zirconia in the ceramic scenario for monolithic restorations: A flexural strength and translucency comparison test.](#)

Carrabba M, Keeling AJ, Aziz A, Vichi A, Fabian Fonzar R, Wood D, **Ferrari M.**

J Dent. 2017 May;60:70-76. doi: 10.1016/j.jdent.2017.03.002. Epub 2017 Mar 6.

PMID:

28274651

Free Article

[Similar articles](#)

Select item 2819616827.

[Treatment Concept for a Patient with a High Smile Line and Gingival Pigmentation: A Case Report.](#)

Zarone F, Leone R, **Ferrari M**, Sorrentino R.

Int J Periodontics Restorative Dent. 2017 Mar/Apr;37(2):e142-e148. doi: 10.11607/prd.2833.

PMID:

28196168

[Similar articles](#)

Select item 2818971828.

[Confounding factors affecting the marginal quality of an intra-oral scan.](#)

Keeling A, Wu J, **Ferrari M**.

J Dent. 2017 Apr;59:33-40. doi: 10.1016/j.jdent.2017.02.003. Epub 2017 Feb 9.

PMID:

28189718

Free Article

[Similar articles](#)

Select item 2809386029.

[Monolithic implant-supported lithium disilicate \(LS2\) crowns in a complete digital workflow: A prospective clinical trial with a 2-year follow-up.](#)

Joda T, **Ferrari M**, Brägger U.

Clin Implant Dent Relat Res. 2017 Jun;19(3):505-511. doi: 10.1111/cid.12472. Epub 2017 Jan 16.

PMID:

28093860

[Similar articles](#)

Select item 2800739630.

[Academy of Dental Materials guidance on in vitro testing of dental composite bonding effectiveness to dentin/enamel using micro-tensile bond strength \(\$\mu\$ TBS\) approach.](#)

Armstrong S, Breschi L, Özcan M, Pfefferkorn F, **Ferrari M**, Van Meerbeek B.

Dent Mater. 2017 Feb;33(2):133-143. doi: 10.1016/j.dental.2016.11.015. Epub 2016 Dec 20.

PMID:

28007396

[Similar articles](#)

Select item 2800027431.

[Digital technology in fixed implant prosthodontics.](#)

Joda T, **Ferrari M**, Gallucci GO, Wittneben JG, Brägger U.

Periodontol 2000. 2017 Feb;73(1):178-192. doi: 10.1111/prd.12164. Review.

PMID:

28000274

[Similar articles](#)

Select item 2790120532.

[Six-month color change and water sorption of 9 new-generation flowable composites in 6 staining solutions.](#)

Arregui M, Giner L, **Ferrari M**, Vallés M, Mercadé M.

Braz Oral Res. 2016 Nov 28;30(1):e123. doi: 10.1590/1807-3107BOR-2016.vol30.0123.

PMID:

27901205

Free Article

[Similar articles](#)

Select item 2777118933.

[Evaluation of the accuracy of extraoral laboratory scanners with a single-tooth abutment model: A 3D analysis.](#)

Mandelli F, Gherlone E, Gastaldi G, **Ferrari M.**

J Prosthodont Res. 2017 Oct;61(4):363-370. doi: 10.1016/j.jpor.2016.09.002. Epub 2016 Oct 19.

PMID:

27771189

[Similar articles](#)

Select item 2772342334.

[Effect of Finishing and Polishing on the Surface Roughness and Gloss of Feldspathic Ceramic for Chairside CAD/CAM Systems.](#)

Carrabba M, Vichi A, Vultaggio G, Pallari S, Paravina R, **Ferrari M.**

Oper Dent. 2017 Mar/Apr;42(2):175-184. doi: 10.2341/15-174-L. Epub 2016 Oct 10.

PMID:

27723423

[Similar articles](#)

Select item 2763514035.

["Digitally Oriented Materials": Focus on Lithium Disilicate Ceramics.](#)

Zarone F, **Ferrari M**, Mangano FG, Leone R, Sorrentino R.

Int J Dent. 2016;2016:9840594. doi: 10.1155/2016/9840594. Epub 2016 Aug 18. Review.

PMID:

27635140

Free PMC Article

[Similar articles](#)

Select item 2755325536.

[A prospective clinical cohort study analyzing single-unit implant crowns after three years of loading: introduction of a novel Functional Implant Prosthodontic Score \(FIPS\).](#)

Joda T, **Ferrari M**, Bragger U.

Clin Oral Implants Res. 2017 Oct;28(10):1291-1295. doi: 10.1111/clr.12955. Epub 2016 Aug 23.

PMID:

27553255

[Similar articles](#)

Select item 2750599737.

[Intratubular penetration in post cementing: A comparative study between a total etching system and a self-etching cement.](#)

García-Gallart M, Llena C, Forner L, **Ferrari M.**

Am J Dent. 2016 Jun;29(3):180-4.

PMID:

27505997

[Similar articles](#)

Select item 2746056638.

[Complications of endodontically treated teeth restored with fiber posts and single crowns or fixed dental prostheses-a systematic review.](#)

Sorrentino R, Di Mauro MI, **Ferrari M**, Leone R, Zarone F.

Clin Oral Investig. 2016 Sep;20(7):1449-57. doi: 10.1007/s00784-016-1919-8. Epub 2016 Jul 26. Review.

PMID:

27460566

[Similar articles](#)

Select item 2737847739.

[Lateral approach for sinus floor elevation: large versus small bone window - a split-mouth randomized clinical trial.](#)

Baldini N, D'Elia C, Bianco A, Goracci C, de Sanctis M, **Ferrari M**.

Clin Oral Implants Res. 2017 Aug;28(8):974-981. doi: 10.1111/clr.12908. Epub 2016 Jul 5.

PMID:

27378477

[Similar articles](#)

Select item 2725439540.

[Effect of photon induced photoacoustic streaming \(PIPS\) on bond strength to dentine of two root canal filling materials.](#)

Miletic I, Chieffi N, Rengo C, **Ferrari M**, Nathanson D, Baraba A.

Lasers Surg Med. 2016 Dec;48(10):951-954. doi: 10.1002/lsm.22536. Epub 2016 Jun 2.

PMID:

27254395

[Similar articles](#)

Select item 2710493141.

[In vitro analysis of the fracture resistance of CAD-CAM monolithic zirconia molar crowns with different occlusal thickness.](#)

Sorrentino R, Triulzio C, Tricarico MG, Bonadeo G, Gherlone EF, **Ferrari M**.

J Mech Behav Biomed Mater. 2016 Aug;61:328-333. doi: 10.1016/j.jmbbm.2016.04.014. Epub 2016 Apr 14.

PMID:

27104931

Free Article

[Similar articles](#)

Select item 2701792442.

[Gender differences in pathways to care for early psychosis.](#)

Ferrari M, Flora N, Anderson KK, Haughton A, Tuck A, Archie S, Kidd S, McKenzie K; ACE Project Team.

Early Interv Psychiatry. 2018 Jun;12(3):355-361. doi: 10.1111/eip.12324. Epub 2016 Mar 28.

PMID:

27017924

[Similar articles](#)

Select item 2698802543.

[3-Year Randomized Controlled Prospective Clinical Trial on Different CAD-CAM Implant Abutments.](#)

Ferrari M, Tricarico MG, Cagidiaco MC, Vichi A, Gherlone EF, Zarone F, Sorrentino R.

Clin Implant Dent Relat Res. 2016 Dec;18(6):1134-1141. doi: 10.1111/cid.12418. Epub 2016 Mar 14.

PMID:

26988025

[Similar articles](#)

Select item 2686892744.

[A digital approach for one-step formation of the supra-implant emergence profile with an individualized CAD/CAM healing abutment.](#)

Joda T, **Ferrari M**, Braegger U.

J Prosthodont Res. 2016 Jul;60(3):220-3. doi: 10.1016/j.jpor.2016.01.005. Epub 2016 Feb 9.

PMID:

26868927

Free Article

[Similar articles](#)

Select item 2671434145.

[Effect of Reciproc endodontic treatment with three different post space preparation instruments on fiber post retention.](#)

Tsintsadze N, Garcia M, Grandini S, Goracci C, **Ferrari M**.

Am J Dent. 2015 Oct;28(5):251-4.

PMID:

26714341

[Similar articles](#)

Select item 2652377246.

[Going with the flow: harnessing the power of the vasculature for targeted therapy in rheumatoid arthritis.](#)

Ferrari M, Onuoha SC, Pitzalis C.

Drug Discov Today. 2016 Jan;21(1):172-179. doi: 10.1016/j.drudis.2015.10.014. Epub 2015 Oct 30. Review.

PMID:

26523772

[Similar articles](#)

Select item 2648739147.

[Accuracy, reliability, and efficiency of intraoral scanners for full-arch impressions: a systematic review of the clinical evidence.](#)

Goracci C, Franchi L, Vichi A, **Ferrari M**.

Eur J Orthod. 2016 Aug;38(4):422-8. doi: 10.1093/ejo/cjv077. Epub 2015 Oct 20. Review.

PMID:

26487391

[Similar articles](#)

Select item 2643750648.

[Short-term clinical performance of zirconia single crowns with different framework designs: 3-year clinical trial.](#)

Ferrari M, Sorrentino R, Cagidiaco C, Goracci C, Vichi A, Gherlone E, Zarone F.

Am J Dent. 2015 Aug;28(4):235-40.

PMID:

26437506

[Similar articles](#)

Select item 2635392449.

[Symptom profiles and explanatory models of first-episode psychosis in African-, Caribbean- and European-origin groups in Ontario.](#)

Maraj A, Anderson KK, Flora N, **Ferrari M**, Archie S, McKenzie KJ; ACE Project Team. Early Interv Psychiatry. 2017 Apr;11(2):165-170. doi: 10.1111/eip.12272. Epub 2015 Sep 10.

PMID:

26353924

[Similar articles](#)

Select item 2609719650.

[Rational design of antirheumatic prodrugs specific for sites of inflammation.](#)

Onuoha SC, **Ferrari M**, Sblattero D, Pitzalis C.

Arthritis Rheumatol. 2015 Oct;67(10):2661-72. doi: 10.1002/art.39232.

PMID:

26097196

Free PMC Article

[Similar articles](#)

Select item 2609384651.

[Morphological study of upper airways and long-term follow-up of obstructive sleep apnea syndrome in acromegalic patients.](#)

Castellani C, Francia G, Dalle Carbonare L, **Ferrari M**, Viva E, Cerini R, Zaccarella A, Trevisiol L, Davi' MV.

Endocrine. 2016 Feb;51(2):308-16. doi: 10.1007/s12020-015-0659-x. Epub 2015 Jun 21.

PMID:

26093846

[Similar articles](#)

Select item 2608757352.

[Effect of different prosthetic abutments on peri-implant soft tissue. A randomized controlled clinical trial.](#)

Ferrari M, Cagidiaco MC, Garcia-Godoy F, Goracci C, Cairo F.

Am J Dent. 2015 Apr;28(2):85-9.

PMID:

26087573

[Similar articles](#)

Select item 2600823853.

[Effect of repeated firings on flexural strength of veneered zirconia.](#)

Vichi A, Sedda M, Bonadeo G, Bosco M, Barbiera A, Tsintsadze N, Carrabba M, **Ferrari M**.

Dent Mater. 2015 Aug;31(8):e151-6. doi: 10.1016/j.dental.2015.04.012. Epub 2015 May 23.

PMID:

26008238

[Similar articles](#)

Select item 2592662054.

[Randomized controlled trial of the CGRP receptor antagonist telcagepant for prevention of headache in women with perimenstrual migraine.](#)

Ho TW, Ho AP, Ge YJ, Assaid C, Gottwald R, MacGregor EA, Mannix LK, van Oosterhout WP, Koppenhaver J, Lines C, Ferrari MD, Michelson D.
Cephalalgia. 2016 Feb;36(2):148-61. doi: 10.1177/0333102415584308. Epub 2015 Apr 29.

PMID:

25926620

[Similar articles](#)

Select item 2585821955.

[Influence of coloring procedure on flexural resistance of zirconia blocks.](#)

Sedda M, Vichi A, Carrabba M, Capperucci A, Louca C, **Ferrari M**.

J Prosthet Dent. 2015 Jul;114(1):98-102. doi: 10.1016/j.prosdent.2015.02.001. Epub 2015 Apr 7.

PMID:

25858219

[Similar articles](#)

Select item 2573497156.

[Trojan horses and guided missiles: targeted therapies in the war on arthritis.](#)

Ferrari M, Onuoha SC, Pitzalis C.

Nat Rev Rheumatol. 2015 Jun;11(6):328-37. doi: 10.1038/nrrheum.2015.17. Epub 2015 Mar 3. Review.

PMID:

25734971

[Similar articles](#)

Select item 2573470557.

[Evaluating residual dentin thickness following various mandibular anterior tooth preparations for zirconia full-coverage single crowns: an in vitro analysis.](#)

Borelli B, Sorrentino R, Goracci C, Amato M, Zarone F, **Ferrari M**.

Int J Periodontics Restorative Dent. 2015 Jan-Feb;35(1):41-7. doi: 10.11607/prd.1873.

PMID:

25734705

[Similar articles](#)

Select item 2570708758.

[In vitro comparison of bonding effectiveness of different adhesive strategies.](#)

Scaminaci Russo D, Pierleoni F, Buti J, **Ferrari M**, Giachetti L.

Am J Dent. 2014 Dec;27(6):323-9.

PMID:

25707087

[Similar articles](#)

Select item 2568386459.

[Influence of luting agent translucency on fiber post retention.](#)

Juloski J, Goracci C, Tsintsadze N, Carrabba M, Vichi A, Vulicevic ZR, **Ferrari M**.

Eur J Oral Sci. 2015 Apr;123(2):116-21. doi: 10.1111/eos.12174. Epub 2015 Feb 16.

PMID:

25683864

[Similar articles](#)

Select item 2557643760.

[Zirconia abutments and restorations: from laboratory to clinical investigations.](#)

Ferrari M, Vichi A, Zarone F.

Dent Mater. 2015 Mar;31(3):e63-76. doi: 10.1016/j.dental.2014.11.015. Epub 2015 Jan 7. Review.

PMID:

25576437

[Similar articles](#)

Select item 2530653961.

[The effect of ferrule height on stress distribution within a tooth restored with fibre posts and ceramic crown: a finite element analysis.](#)

Juloski J, Apicella D, **Ferrari M.**

Dent Mater. 2014 Dec;30(12):1304-15. doi: 10.1016/j.dental.2014.09.004. Epub 2014 Oct 8.

PMID:

25306539

[Similar articles](#)

Select item 2505012262.

[Apical Dimension of Root Canal Clinically Assessed with and without Periapical Lesions.](#)

Gesi A, Mareschi P, Doldo T, **Ferrari M.**

Int J Dent. 2014;2014:374971. doi: 10.1155/2014/374971. Epub 2014 Jun 24.

PMID:

25050122

Free PMC Article

[Similar articles](#)

Select item 2497485863.

[Translucency of ceramic materials for CEREC CAD/CAM system.](#)

Vichi A, Carrabba M, Paravina R, **Ferrari M.**

J Esthet Restor Dent. 2014 Jul-Aug;26(4):224-31. doi: 10.1111/jerd.12105. Epub 2014 Jun 29.

PMID:

24974858

[Similar articles](#)

Select item 2493278464.

[What do patients consider to be the most important outcomes for effectiveness studies on migraine treatment? Results of a Delphi study.](#)

Smelt AF, Louter MA, Kies DA, Blom JW, Terwindt GM, van der Heijden GJ, De Gucht V, Ferrari MD, Assendelft WJ.

PLoS One. 2014 Jun 16;9(6):e98933. doi: 10.1371/journal.pone.0098933. eCollection 2014.

PMID:

24932784

Free PMC Article

[Similar articles](#)

Select item 2490816265.

[Fracture resistance of three porcelain-layered CAD/CAM zirconia frame designs.](#)

Ferrari M, Giovannetti A, Carrabba M, Bonadeo G, Rengo C, Monticelli F, Vichi A.

Dent Mater. 2014 Jul;30(7):e163-8. doi: 10.1016/j.dental.2014.02.004.

PMID:

24908162

[Similar articles](#)

Select item 2470354766.

[Polymerization efficiency and flexural strength of low-stress restorative composites.](#)

Goracci C, Cadenaro M, Fontanive L, Giangrosso G, Juloski J, Vichi A, **Ferrari M.**

Dent Mater. 2014 Jun;30(6):688-94. doi: 10.1016/j.dental.2014.03.006. Epub 2014 Apr 3.

PMID:

24703547

[Similar articles](#)

Select item 2464663767.

[Four-year Survival of Endodontically Treated Premolars Restored with Fiber Posts.](#)

Juloski J, Fadda GM, Monticelli F, Fajó-Pascual M, Goracci C, **Ferrari M.**

J Dent Res. 2014 Jul;93(7 Suppl):52S-58S. doi: 10.1177/0022034514527970. Epub 2014 Mar 19.

PMID:

24646637

Free PMC Article

[Similar articles](#)

Select item 2464043968.

[Adhesion to primary dentin: microshear bond strength and scanning electron microscopic observation.](#)

Scaminaci Russo D, Iuliano V, Franchi L, **Ferrari M,** Giachetti L.

Am J Dent. 2013 Dec;26(6):341-6.

PMID:

24640439

[Similar articles](#)

Select item 2464043669.

[Post-retentive ability of new flowable resin composites.](#)

Juloski J, Goracci C, Radovic I, Chieffi N, Vichi A, Vulicevic ZR, **Ferrari M.**

Am J Dent. 2013 Dec;26(6):324-8.

PMID:

24640436

[Similar articles](#)

Select item 2461194470.

[The influence of cement filler load on the radiopacity of various fibre posts ex vivo.](#)

Goracci C, Juloski J, Schiavetti R, Mainieri P, Giovannetti A, Vichi A, **Ferrari M.**

Int Endod J. 2015 Jan;48(1):60-7. doi: 10.1111/iej.12275. Epub 2014 Mar 20.

PMID:

24611944

[Similar articles](#)

Select item 2447927971.

[Microleakage of Class II restorations and microtensile bond strength to dentin of low-shrinkage composites.](#)

Juloski J, Carrabba M, Aragoneses JM, Forner L, Vichi A, **Ferrari M.**

Am J Dent. 2013 Oct;26(5):271-7.

PMID:

24479279

[Similar articles](#)

Select item 2447927672.

[Flexural resistance of Cerec CAD/CAM system ceramic blocks. Part 1: Chairside materials.](#)

Vichi A, Sedda M, Del Siena F, Louca C, **Ferrari M.**

Am J Dent. 2013 Oct;26(5):255-9.

PMID:

24479276

[Similar articles](#)

Select item 2407353373.

[Influence of selective enamel etching on the bonding effectiveness of a new "all-in-one" adhesive.](#)

Goracci C, Rengo C, Eusepi L, Juloski J, Vichi A, **Ferrari M.**

Am J Dent. 2013 Apr;26(2):99-104.

PMID:

24073533

[Similar articles](#)

Select item 2404698974.

[Bond strength to unground enamel and sealing ability in pits and fissures of a new self-adhering flowable resin composite.](#)

Margvelashvili M, Vichi A, Carrabba M, Goracci C, **Ferrari M.**

J Clin Pediatr Dent. 2013 Summer;37(4):397-402.

PMID:

24046989

[Similar articles](#)

Select item 2360478475.

[Micro-computerized tomographic analysis of premolars restored with oval and circular posts.](#)

Rengo C, Spagnuolo G, Ametrano G, Juloski J, Rengo S, **Ferrari M.**

Clin Oral Investig. 2014;18(2):571-8. doi: 10.1007/s00784-013-0982-7. Epub 2013 Apr 21.

PMID:

23604784

[Similar articles](#)

Select item 2353400776.

[Aging affects the adhesive interface of posts luted with self-adhesive cements: a 1-year study.](#)

Marchesi G, Mazzoni A, Turco G, Cadenaro M, **Ferrari M.** Di Lenarda R, Breschi L.

J Adhes Dent. 2013 Apr;15(2):173-80. doi: 10.3290/j.jad.a28387.

PMID:

23534007

[Similar articles](#)

Select item 2353400677.

[Shear bond strength to enamel and flexural strength of different fiber-reinforced composites.](#)

Juloski J, Beloica M, Goracci C, Chieffi N, Giovannetti A, Vichi A, Vulicevic ZR, **Ferrari M.**

J Adhes Dent. 2013 Apr;15(2):123-30. doi: 10.3290/j.jad.a28362.

PMID:

23534006

[Similar articles](#)

Select item 2348560578.

[In vitro analysis of residual tooth structure of maxillary anterior teeth after different prosthetic finish line preparations for full-coverage single crowns.](#)

Borelli B, Sorrentino R, Goracci C, Zarone F, **Ferrari M.**

J Oral Sci. 2013 Mar;55(1):79-84.

PMID:

23485605

Free Article

[Similar articles](#)

Select item 2342163079.

[Influence of different pulse durations of Er:YAG laser based on variable square pulse technology on microtensile bond strength of a self-etch adhesive to dentin.](#)

Baraba A, Dukić W, Chieffi N, **Ferrari M**, Anić I, Miletić I.

Photomed Laser Surg. 2013 Mar;31(3):116-24. doi: 10.1089/pho.2012.3286. Epub 2013 Feb 19.

PMID:

23421630

[Similar articles](#)

Select item 2333142480.

[Push-out bond strength of an experimental self-adhesive resin cement.](#)

Juloski J, Fadda GM, Radovic I, Chieffi N, Vulicevic ZR, Aragonese JM, **Ferrari M.**

Eur J Oral Sci. 2013 Feb;121(1):50-6. doi: 10.1111/eos.12005. Epub 2012 Nov 12.

PMID:

23331424

[Similar articles](#)

Select item 2332924281.

[Push-out bond strength and SEM evaluation of a new bonding approach into the root canal.](#)

Carvalho CA, Breschi L, Navarro MF, Atta MT, **Ferrari M.**

J Appl Oral Sci. 2012 Nov-Dec;20(6):613-9.

PMID:

23329242

Free PMC Article

[Similar articles](#)

Select item 2468377982.

[Shear-bond strength of a new self-adhering flowable restorative material to dentin of primary molars.](#)

Pacifici E, Chazine M, Vichi A, Grandini S, Goracci C, **Ferrari M.**

J Clin Pediatr Dent. 2013 Winter;38(2):149-54.

PMID:

24683779

[Similar articles](#)

Select item 2326821383.

[\[Enamel laser conditioning before sealant application\].](#)

Maddalone M, **Ferrari M**, Barilla S, Arrigoni P, Kovalenko A.
Stomatologija (Mosk). 2012;91(6):25-7. Russian.

PMID:

23268213

[Similar articles](#)

Select item 2308633284.

[Bonding and sealing ability of a new self-adhering flowable composite resin in class I restorations.](#)

Vichi A, Margvelashvili M, Goracci C, Papacchini F, **Ferrari M**.

Clin Oral Investig. 2013 Jul;17(6):1497-506. doi: 10.1007/s00784-012-0846-6. Epub 2012 Oct 20.

PMID:

23086332

[Similar articles](#)

Select item 2308239085.

[Enamel and dentin bond strength of new simplified adhesive materials with and without preliminary phosphoric acid-etching.](#)

Juloski J, Goracci C, Rengo C, Giovannetti A, Vichi A, Vulicevic ZR, **Ferrari M**.

Am J Dent. 2012 Aug;25(4):239-43.

PMID:

23082390

[Similar articles](#)

Select item 2308238086.

[Spectrophotometric evaluation of color match of three different porcelain systems for all-ceramic zirconia-based restorations.](#)

Vichi A, Fazi G, Carrabba M, Corciolani G, Louca C, **Ferrari M**.

Am J Dent. 2012 Aug;25(4):191-4.

PMID:

23082380

[Similar articles](#)

Select item 2269967287.

[A randomized controlled trial of endodontically treated and restored premolars.](#)

Ferrari M, Vichi A, Fadda GM, Cagidiaco MC, Tay FR, Breschi L, Polimeni A, Goracci C.

J Dent Res. 2012 Jul;91(7 Suppl):72S-78S.

PMID:

22699672

[Similar articles](#)

Select item 2298868688.

[Effects of post surface treatments on the bond strength of self-adhesive cements.](#)

Mazzitelli C, Papacchini F, Monticelli F, Toledano M, **Ferrari M**.

Am J Dent. 2012 Jun;25(3):159-64.

PMID:

22988686

[Similar articles](#)

Select item 2288348089.

[Interfacial nanoleakage and internal cement thickness of three esthetic crown systems.](#)

Chazine M, Casucci A, Mazzoni A, Grandini S, Goracci C, Breschi L, **Ferrari M.**

Dent Mater. 2012 Oct;28(10):1105-11. doi: 10.1016/j.dental.2012.07.005. Epub 2012 Aug 9.

PMID:

22883480

[Similar articles](#)

Select item 2277928890.

[Masking of temperature-induced color changes in a thermo-sensitive fiber post.](#)

Vichi A, Schiavetti R, Pacifici E, Giovannetti A, Goracci C, **Ferrari M.**

Am J Dent. 2012 Apr;25(2):123-8.

PMID:

22779288

[Similar articles](#)

Select item 2277928091.

[Effect of the length of glass fiber posts on the fracture resistance of restored maxillary central incisors.](#)

Borelli B, Sorrentino R, Zarone F, **Ferrari M.**

Am J Dent. 2012 Apr;25(2):79-83.

PMID:

22779280

[Similar articles](#)

Select item 2277927992.

[Influence of surface pretreatment on the short-term bond strength of resin composite to a zirconia-based material.](#)

Fazi G, Vichi A, **Ferrari M.**

Am J Dent. 2012 Apr;25(2):73-8.

PMID:

22779279

[Similar articles](#)

Select item 2262476593.

[Influence of phosphoric acid etching on microleakage of a self-etch adhesive and a self-adhering composite.](#)

Rengo C, Goracci C, Juloski J, Chieffi N, Giovannetti A, Vichi A, **Ferrari M.**

Aust Dent J. 2012 Jun;57(2):220-6. doi: 10.1111/j.1834-7819.2012.01689.x.

PMID:

22624765

Free Article

[Similar articles](#)

Select item 2255868694.

[Influence of post type on degree of conversion of a resin-based luting agent.](#)

Navarra CO, Goracci C, Breschi L, Vichi A, Corciolani G, Cadenaro M, **Ferrari M.**

Am J Dent. 2012 Feb;25(1):17-20.

PMID:

22558686

[Similar articles](#)

Select item 2253847295.

[Shear bond strength of orthodontic brackets bonded with a new self-adhering flowable resin composite.](#)

Goracci C, Margvelashvili M, Giovannetti A, Vichi A, **Ferrari M.**

Clin Oral Investig. 2013 Mar;17(2):609-17. doi: 10.1007/s00784-012-0729-x. Epub 2012 Apr 27.

PMID:

22538472

[Similar articles](#)

Select item 2242426996.

[Ablative potential of four different pulses of Er:YAG lasers and low-speed hand piece.](#)

Baraba A, Perhavec T, Chieffi N, **Ferrari M**, Anić I, Miletić I.

Photomed Laser Surg. 2012 Jun;30(6):301-7. doi: 10.1089/pho.2011.3190. Epub 2012 Mar 16.

PMID:

22424269

[Similar articles](#)

Select item 2230577797.

[Post retentive ability of a new resin composite with low stress behaviour.](#)

Giovannetti A, Goracci C, Vichi A, Chieffi N, Polimeni A, **Ferrari M.**

J Dent. 2012 Apr;40(4):322-8. doi: 10.1016/j.jdent.2012.01.007. Epub 2012 Jan 25.

PMID:

22305777

[Similar articles](#)

Select item 2216545398.

[Comparison of experienced and inexperienced operators on bond strengths of total-etch and self-etch bonding systems.](#)

Giachetti L, Scaminaci Russo D, Rossi Campani E, Baldini M, Nieri M, **Ferrari M.**

Am J Dent. 2011 Oct;24(5):271-6.

PMID:

22165453

[Similar articles](#)

Select item 2215261299.

[Ferrule effect: a literature review.](#)

Juloski J, Radovic I, Goracci C, Vulicevic ZR, **Ferrari M.**

J Endod. 2012 Jan;38(1):11-9. doi: 10.1016/j.joen.2011.09.024. Epub 2011 Nov 13. Review.

PMID:

22152612

[Similar articles](#)

Select item 22007679100.

[Push-out strength of translucent fibre posts cemented using a dual-curing technique or a light-curing self-adhering material.](#)

Giachetti L, Scaminaci Russo D, Baldini M, Bertini F, Steier L, **Ferrari M.**

Int Endod J. 2012 Mar;45(3):249-56. doi: 10.1111/j.1365-2591.2011.01969.x. Epub 2011 Oct 19.

PMID:

22007679

[Similar articles](#)

Select item 21953304101.

[Development of a novel recombinant biotherapeutic with applications in targeted therapy of human arthritis.](#)

Kamperidis P, Kamalati T, **Ferrari M**, Jones M, Garrood T, Smith MD, Diez-Posada S, Hughes C, Finucane C, Mather S, Nissim A, George AJ, Pitzalis C.
Arthritis Rheum. 2011 Dec;63(12):3758-67. doi: 10.1002/art.30650.

PMID:

21953304

Free Article

[Similar articles](#)

Select item 21942241102.

[Reparability of aged silorane with methacrylate-based resin composite: micro-shear bond strength and scanning electron microscopy evaluation.](#)

Giachetti L, Scaminaci Russo D, Baldini M, Goracci C, **Ferrari M**.
Oper Dent. 2012 Jan-Feb;37(1):28-36. doi: 10.2341/10-397-L. Epub 2011 Sep 26.

PMID:

21942241

[Similar articles](#)

Select item 21820728103.

[Retentive strength and sealing ability of new self-adhesive resin cements in fiber post luting.](#)

Cantoro A, Goracci C, Vichi A, Mazzoni A, Fadda GM, **Ferrari M**.
Dent Mater. 2011 Oct;27(10):e197-204. doi: 10.1016/j.dental.2011.07.003. Epub 2011 Aug 5.

PMID:

21820728

[Similar articles](#)

Select item 21798589104.

[Effect of surface pre-treatments on the zirconia ceramic-resin cement microtensile bond strength.](#)

Casucci A, Monticelli F, Goracci C, Mazzitelli C, Cantoro A, Papacchini F, **Ferrari M**.
Dent Mater. 2011 Oct;27(10):1024-30. doi: 10.1016/j.dental.2011.07.002. Epub 2011 Jul 27.

PMID:

21798589

[Similar articles](#)

Select item 21787503105.

[Comparison of two techniques for assessing the shaping efficacy of repeatedly used nickel-titanium rotary instruments.](#)

Ounsi HF, Franciosi G, Paragliola R, Al-Hezaimi K, Salameh Z, Tay FR, **Ferrari M**, Grandini S.
J Endod. 2011 Jun;37(6):847-50. doi: 10.1016/j.joen.2011.02.030. Epub 2011 Apr 6. Erratum in: J Endod. 2011 Aug;37(8):1175. Al Huzaimi, Khalid [corrected to Al-Hezaimi, Khalid].

PMID:

21787503

[Similar articles](#)

Select item 21734976106.

[Extent of cement polymerization along dowel space as a function of the interaction between adhesive and cement in fiber post cementation.](#)

Vichi A, Carrabba M, Goracci C, **Ferrari M**.

J Adhes Dent. 2012 Feb;14(1):51-7. doi: 10.3290/j.jad.a21849.

PMID:

21734976

[Similar articles](#)

Select item 21670983107.

[Effect of thermal cycling on the bond strength of self-adhesive cements to fiber posts.](#)

Mazzitelli C, Monticelli F, Toledano M, **Ferrari M**, Osorio R.

Clin Oral Investig. 2012 Jun;16(3):909-15. doi: 10.1007/s00784-011-0576-1. Epub 2011 Jun 14.

PMID:

21670983

[Similar articles](#)

Select item 21564118108.

[Current perspectives on post systems: a literature review.](#)

Goracci C, **Ferrari M**.

Aust Dent J. 2011 Jun;56 Suppl 1:77-83. doi: 10.1111/j.1834-7819.2010.01298.x. Review.

PMID:

21564118

Free Article

[Similar articles](#)

Select item 21469400109.

[Degree of conversion of dual-cure resins light-cured through glass-fiber posts.](#)

Cerutti F, Acquaviva PA, Gagliani M, **Ferrari M**, Mangani F, Depero LE, Cerutti A.

Am J Dent. 2011 Feb;24(1):8-12.

PMID:

21469400

[Similar articles](#)

Select item 21368260110.

[Toothguide Training Box for dental color choice training.](#)

Llena C, Forner L, **Ferrari M**, Amengual J, Llambes G, Lozano E.

J Dent Educ. 2011 Mar;75(3):360-4.

PMID:

21368260

Free Article

[Similar articles](#)

Select item 21365045111.

[Correlation of radiographic fractal analysis with implant insertion torque in a rabbit trabecular bone model.](#)

Veltri M, **Ferrari M**, Balleri P.

Int J Oral Maxillofac Implants. 2011 Jan-Feb;26(1):108-14.

PMID:

21365045

[Similar articles](#)

Select item 21356409112.

[Color match of two different ceramic systems to selected shades of one shade guide.](#)

Corciolani G, Vichi A, Louca C, **Ferrari M.**

J Prosthet Dent. 2011 Mar;105(3):171-6. doi: 10.1016/S0022-3913(11)60025-5.

PMID:

21356409

[Similar articles](#)

Select item 21344835113.

[Microtensile bond strength of three different veneering porcelain systems to a zirconia core for all ceramic restorations.](#)

Fazi G, Vichi A, **Ferrari M.**

Am J Dent. 2010 Dec;23(6):347-50.

PMID:

21344835

[Similar articles](#)

Select item 21323013114.

[Color correspondence of different batches of TriLuxe CAD/CAM ceramic blocks.](#)

Vichi A, Carrabba M, Louca C, Corciolani G, **Ferrari M.**

Int J Comput Dent. 2010;13(4):331-40. English, German.

PMID:

21323013

[Similar articles](#)

Select item 21250575115.

[Comparison of fracture resistance of bonded glass fiber posts at different lengths.](#)

Schiavetti R, García-Godoy F, Toledano M, Mazzitelli C, Barlattani A, **Ferrari M**, Osorio R.

Am J Dent. 2010 Aug;23(4):227-30.

PMID:

21250575

[Similar articles](#)

Select item 21246063116.

[Microtensile vs microshear bond strength of all-in-one adhesives to unground enamel.](#)

Beloica M, Goracci C, Carvalho CA, Radovic I, Margvelashvili M, Vulicevic ZR, **Ferrari M.**

J Adhes Dent. 2010 Dec;12(6):427-33. doi: 10.3290/j.jad.a18237.

PMID:

21246063

[Similar articles](#)

Select item 21244624117.

[Evaluation of the fracture resistance of reattached incisal fragments using different materials and techniques.](#)

Chazine M, Sedda M, Ounsi HF, Paragliola R, **Ferrari M**, Grandini S.

Dent Traumatol. 2011 Feb;27(1):15-8. doi: 10.1111/j.1600-9657.2010.00951.x.

PMID:

21244624

[Similar articles](#)

Select item 21207792118.

[Influence of ozone application on the repair strength of silorane-based and ormocer-based composites.](#)

Magni E, **Ferrari M**, Papacchini F, Hickel R, Ilie N.

Am J Dent. 2010 Oct;23(5):260-4.

PMID:

21207792

[Similar articles](#)

Select item 21176096119.

[Implant placement in combination with sinus membrane elevation without biomaterials: a 1-year study on 15 patients.](#)

Balleri P, Veltri M, Nuti N, **Ferrari M**.

Clin Implant Dent Relat Res. 2012 Oct;14(5):682-9. doi: 10.1111/j.1708-8208.2010.00318.x. Epub 2010 Dec 22. Erratum in: Clin Implant Dent Relat Res. 2013 May 6;15(3):470. Piero, Balleri [corrected to Balleri, Piero]; Mario, Veltri [corrected to Veltri, Mario]; Niccolò, Nuti [corrected to Nuti, Niccolò]; Marco, Ferrari [corrected to Ferrari, Marco].

PMID:

21176096

[Similar articles](#)

Select item 21122905120.

[Color related to ceramic and zirconia restorations: a review.](#)

Vichi A, Louca C, Corciolani G, **Ferrari M**.

Dent Mater. 2011 Jan;27(1):97-108. doi: 10.1016/j.dental.2010.10.018. Epub 2010 Nov 30. Review.

PMID:

21122905

[Similar articles](#)

Select item 21112618121.

[Deproteinized bovine bone in periodontal and implant surgery.](#)

Baldini N, De Sanctis M, **Ferrari M**.

Dent Mater. 2011 Jan;27(1):61-70. doi: 10.1016/j.dental.2010.10.017. Epub 2010 Nov 27. Review.

PMID:

21112618

[Similar articles](#)

Select item 21077417122.

[Effect of post-cure heating on the flexural strength of two indirect resin composites.](#)

Sedda M, Papacchini F, Salonna P, Borracchini A, **Ferrari M**.

Eur J Prosthodont Restor Dent. 2010 Sep;18(3):102-6.

PMID:

21077417

[Similar articles](#)

Select item 20978638123.

[Influence of resin composite mechanical properties on adhesive microtensile bond strength to dentin.](#)

Goracci C, Margvelashvili M, Apicella D, Sedda M, Magni E, **Ferrari M**.

J Adhes Dent. 2011 Aug;13(4):323-31. doi: 10.3290/j.jad.a19664.

PMID:

20978638

[Similar articles](#)

Select item 20831756124.

[Influence of abutment material on the fracture strength and failure modes of abutment-fixture assemblies when loaded in a bio-faithful simulation.](#)

Apicella D, Veltri M, Balleri P, Apicella A, **Ferrari M.**

Clin Oral Implants Res. 2011 Feb;22(2):182-8. doi: 10.1111/j.1600-0501.2010.01979.x. Epub 2010 Sep 10.

PMID:

20831756

[Similar articles](#)

Select item 20694567125.

[Influence of ultrasound application on inlays luting with self-adhesive resin cements.](#)

Cantoro A, Goracci C, Coniglio I, Magni E, Polimeni A, **Ferrari M.**

Clin Oral Investig. 2011 Oct;15(5):617-23. doi: 10.1007/s00784-010-0451-5. Epub 2010 Aug 7.

PMID:

20694567

[Similar articles](#)

Select item 20661607126.

[Push-out bond strength of circular and oval-shaped fiber posts.](#)

Coniglio I, Magni E, Cantoro A, Goracci C, **Ferrari M.**

Clin Oral Investig. 2011 Oct;15(5):667-72. doi: 10.1007/s00784-010-0448-0. Epub 2010 Jul 27.

PMID:

20661607

[Similar articles](#)

Select item 20636729127.

[Cement thickness at implant-supported single-tooth Lava assemblies: a scanning electron microscopic investigation.](#)

Apicella D, Veltri M, Chieffi N, Balleri P, **Ferrari M.**

Clin Oral Implants Res. 2010 Jul;21(7):747-50. doi: 10.1111/j.1600-0501.2009.01882.x.

PMID:

20636729

[Similar articles](#)

Select item 20608297128.

[Effect of different onlay systems on fracture resistance and failure pattern of endodontically treated mandibular molars restored with and without glass fiber posts.](#)

Salameh Z, Ounsi HF, Aboushelib MN, Al-Hamdan R, Sadig W, **Ferrari M.**

Am J Dent. 2010 Apr;23(2):81-6.

PMID:

20608297

[Similar articles](#)

Select item 20533631129.

[Microleakage in class II restorations: open vs closed centripetal build-up technique.](#)

Fabianelli A, Sgarra A, Goracci C, Cantoro A, Pollington S, **Ferrari M.**

Oper Dent. 2010 May-Jun;35(3):308-13. doi: 10.2341/09-128-L. Erratum in: Oper Dent. 2010 Jul-Aug;35(4):487.

PMID:

20533631

[Similar articles](#)

Select item 20502433130.

[An eleven-year case report of an avulsed maxillary central incisor after delayed replantation.](#)

Balleri P, Veltri M, **Ferrari M.**

Minerva Stomatol. 2010 May;59(5):291-6, 296-8. English, Italian.

PMID:

20502433

[Similar articles](#)

Select item 20471073131.

[Morphological analysis of three zirconium oxide ceramics: Effect of surface treatments.](#)

Casucci A, Mazzitelli C, Monticelli F, Toledano M, Osorio R, Osorio E, Papacchini F, **Ferrari M.**

Dent Mater. 2010 Aug;26(8):751-60. doi: 10.1016/j.dental.2010.03.020. Epub 2010 May 14.

PMID:

20471073

[Similar articles](#)

Select item 20417550132.

[Influence of layering thickness on the color parameters of a ceramic system.](#)

Corciolani G, Vichi A, Louca C, **Ferrari M.**

Dent Mater. 2010 Aug;26(8):737-42. doi: 10.1016/j.dental.2010.03.018. Epub 2010 Apr 24.

PMID:

20417550

[Similar articles](#)

Select item 20384706133.

[The speed of sound correlates with implant insertion torque in rabbit bone: an in vitro experiment.](#)

Veltri M, Valenti R, Ceccarelli E, Balleri P, Nuti R, **Ferrari M.**

Clin Oral Implants Res. 2010 Jul;21(7):751-5. doi: 10.1111/j.1600-0501.2009.01873.x. Epub 2010 Apr 5.

PMID:

20384706

[Similar articles](#)

Select item 20380864134.

[Sealing properties of one-step root-filling fibre post-obturators vs. two-step delayed fibre post-placement.](#)

Monticelli F, Osorio R, Toledano M, **Ferrari M,** Pashley DH, Tay FR.

J Dent. 2010 Jul;38(7):547-52. doi: 10.1016/j.jdent.2010.03.014. Epub 2010 Apr 7.

PMID:

20380864

[Similar articles](#)

Select item 20225472135.

[Resin cement thickness in oval-shaped canals: oval vs. circular fiber posts in combination with different tips/drills for post space preparation.](#)

Coniglio I, Garcia-Godoy F, Magni E, Carvalho CA, **Ferrari M.**

Am J Dent. 2009 Oct;22(5):290-4.

PMID:

20225472

[Similar articles](#)

Select item 20178214136.

[The influence of storage condition and duration on the resistance to fracture of different fiber post systems.](#)

Vano M, Carvalho C, Sedda M, Gabriele M, García-Godoy F, **Ferrari M**.

Am J Dent. 2009 Dec;22(6):366-70.

PMID:

20178214

[Similar articles](#)

Select item 20157681137.

[Nonlinear visco-elastic finite element analysis of porcelain veneers: a submodelling approach to strain and stress distributions in adhesive and resin cement.](#)

Perillo L, Sorrentino R, Apicella D, Quaranta A, Gherlone E, Zarone F, **Ferrari M**, Aversa R, Apicella A.

J Adhes Dent. 2010 Oct;12(5):403-13. doi: 10.3290/j.jad.a18394.

PMID:

20157681

[Similar articles](#)

Select item 20156269138.

[Dentin treatment effects on the bonding performance of self-adhesive resin cements.](#)

Mazzitelli C, Monticelli F, Toledano M, **Ferrari M**, Osorio R.

Eur J Oral Sci. 2010 Feb;118(1):80-6. doi: 10.1111/j.1600-0722.2009.00703.x.

PMID:

20156269

[Similar articles](#)

Select item 20054592139.

[Influence of ozone on the composite-to-composite bond.](#)

Magni E, **Ferrari M**, Papacchini F, Hickel R, Ilie N.

Clin Oral Investig. 2011 Apr;15(2):249-56. doi: 10.1007/s00784-009-0370-5. Epub 2010 Jan 7.

PMID:

20054592

[Similar articles](#)

Select item 19895430140.

[Stability values of titanium dioxide-blasted dental implants in edentulous maxillas: a 3-year pilot study.](#)

Veltri M, **Ferrari M**, Balleri P.

J Oral Rehabil. 2010 Jan;37(1):63-8. doi: 10.1111/j.1365-2842.2009.02021.x. Epub 2009 Nov 4.

PMID:

19895430

[Similar articles](#)

Select item 19841764141.

[Bond strength of composite core build-up materials to fiber-reinforced posts: a microtensile comparison between conventional and wet-ethanol bonding systems.](#)

Ounsi HF, Salameh Z, Carvalho CA, Cantoro A, Grandini S, **Ferrari M**.
J Adhes Dent. 2009 Oct;11(5):375-80.

PMID:

19841764

[Similar articles](#)

Select item 19783806142.

[Influence of luting material filler content on post cementation.](#)

Ferrari M, Carvalho CA, Goracci C, Antonioli F, Mazzoni A, Mazzotti G, Cadenaro M, Breschi L.
J Dent Res. 2009 Oct;88(10):951-6. doi: 10.1177/0022034509342851.

PMID:

19783806

[Similar articles](#)

Select item 19781593143.

[In vitro evaluation of bonding effectiveness to dentin of all-in-one adhesives.](#)

Margvelashvili M, Goracci C, Beloica M, Papacchini F, **Ferrari M**.
J Dent. 2010 Feb;38(2):106-12. doi: 10.1016/j.jdent.2009.09.008. Epub 2009 Sep 23.

PMID:

19781593

[Similar articles](#)

Select item 19767690144.

[Hybrid layers of etch-and-rinse versus self-etching adhesive systems.](#)

Albaladejo A, Osorio R, Toledano M, **Ferrari M**.
Med Oral Patol Oral Cir Bucal. 2010 Jan 1;15(1):e112-8.

PMID:

19767690

Free Article

[Similar articles](#)

Select item 19744537145.

[The effect of different surface treatments on bond strength between leucite reinforced feldspathic ceramic and composite resin.](#)

Fabianelli A, Pollington S, Papacchini F, Goracci C, Cantoro A, **Ferrari M**, van Noort R.
J Dent. 2010 Jan;38(1):39-43. doi: 10.1016/j.jdent.2009.08.010.

PMID:

19744537

[Similar articles](#)

Select item 19627358146.

[Push-out stress for fibre posts luted using different adhesive strategies.](#)

Mazzoni A, Marchesi G, Cadenaro M, Mazzotti G, Di Lenarda R, **Ferrari M**, Breschi L.
Eur J Oral Sci. 2009 Aug;117(4):447-53. doi: 10.1111/j.1600-0722.2009.00656.x.

PMID:

19627358

[Similar articles](#)

Select item 19616882147.

[Influence of different surface treatments on surface zirconia frameworks.](#)

Casucci A, Osorio E, Osorio R, Monticelli F, Toledano M, Mazzitelli C, **Ferrari M**.
J Dent. 2009 Nov;37(11):891-7. doi: 10.1016/j.jdent.2009.06.013. Epub 2009 Jun 27.

PMID:

19616882

[Similar articles](#)

Select item 19450917148.

[Degree of conversion of three composite materials employed in the adhesive cementation of indirect restorations: a micro-Raman analysis.](#)

Acquaviva PA, Cerutti F, Adami G, Gagliani M, **Ferrari M**, Gherlone E, Cerutti A.
J Dent. 2009 Aug;37(8):610-5. doi: 10.1016/j.jdent.2009.04.001. Epub 2009 Apr 14.

PMID:

19450917

[Similar articles](#)

Select item 19438960149.

[One-year outcome of implants strategically placed in the retrocanine bone triangle.](#)

Balleri P, **Ferrari M**, Veltri M.

Clin Implant Dent Relat Res. 2010 Dec;12(4):324-30. doi: 10.1111/j.1708-8208.2009.00170.x.

PMID:

19438960

[Similar articles](#)

Select item 19409347150.

[Soft bone primary stability of 3 different miniscrews for orthodontic anchorage: a resonance frequency investigation.](#)

Veltri M, Balleri B, Goracci C, Giorgetti R, Balleri P, **Ferrari M**.

Am J Orthod Dentofacial Orthop. 2009 May;135(5):642-8. doi: 10.1016/j.ajodo.2007.05.025.

PMID:

19409347

[Similar articles](#)

Select item 19343929151.

[Push-out bond strength of fiber posts luted with unfilled resin cement.](#)

Carvalho CA, Monticelli F, Cantoro A, Breschi L, **Ferrari M**.

J Adhes Dent. 2009 Feb;11(1):65-70.

PMID:

19343929

[Similar articles](#)

Select item 19339100152.

[Bonding potential of self-adhesive luting agents used at different temperatures to lute composite onlays.](#)

Cantoro A, Goracci C, Carvalho CA, Coniglio I, **Ferrari M**.

J Dent. 2009 Jun;37(6):454-61. doi: 10.1016/j.jdent.2009.02.006. Epub 2009 Mar 31.

PMID:

19339100

[Similar articles](#)

Select item 19281108153.

[Spectrophotometric evaluation of color match to VITA classical shade guide of four different veneering porcelain systems for metal ceramic restorations.](#)

Fazi G, Vichi A, Corciolani G, **Ferrari M.**

Am J Dent. 2009 Feb;22(1):19-22.

PMID:

19281108

[Similar articles](#)

Select item 19241096154.

[Evaluation of the mechanical properties of dental adhesives and glass-ionomer cements.](#)

Magni E, **Ferrari M**, Hickel R, Ilie N.

Clin Oral Investig. 2010 Feb;14(1):79-87. doi: 10.1007/s00784-009-0259-3. Epub 2009 Feb 25.

PMID:

19241096

[Similar articles](#)

Select item 19215974155.

[Light transmission through fiber post: the effect on adhesion, elastic modulus and hardness of dual-cure resin cement.](#)

Radovic I, Corciolani G, Magni E, Krstanovic G, Pavlovic V, Vulicevic ZR, **Ferrari M.**

Dent Mater. 2009 Jul;25(7):837-44. doi: 10.1016/j.dental.2009.01.004. Epub 2009 Feb 11.

PMID:

19215974

[Similar articles](#)

Select item 19150574156.

[Non-linear elastic three-dimensional finite element analysis on the effect of endocrown material rigidity on alveolar bone remodeling process.](#)

Aversa R, Apicella D, Perillo L, Sorrentino R, Zarone F, **Ferrari M**, Apicella A.

Dent Mater. 2009 May;25(5):678-90. doi: 10.1016/j.dental.2008.10.015. Epub 2009 Jan 17.

PMID:

19150574

[Similar articles](#)

Select item 19146130157.

[Fracture resistance of fiber posts: combinations of several small posts vs. standardized single post.](#)

Porciani PF, Vano M, Radovic I, Goracci C, Grandini S, García-Godoy F, **Ferrari M.**

Am J Dent. 2008 Dec;21(6):373-6.

PMID:

19146130

[Similar articles](#)

Select item 19134041158.

[Effect of ethanol application on post-luting to intraradicular dentine.](#)

Carvalho CA, Cantoro A, Mazzoni A, Goracci C, Breschi L, **Ferrari M.**

Int Endod J. 2009 Feb;42(2):129-35. doi: 10.1111/j.1365-2591.2008.01491.x.

PMID:

19134041

[Similar articles](#)

Select item 19132414159.

[Morphology of the smear layer after the application of simplified self-etch adhesives on enamel and dentin surfaces created with different preparation methods.](#)

Bortolotto T, **Ferrari M**, Susin A, Krejci I.

Clin Oral Investig. 2009 Dec;13(4):409-17. doi: 10.1007/s00784-008-0242-4. Epub 2009 Jan 9.

PMID:

19132414

[Similar articles](#)

Select item 19106467160.

[Repair potential of a laboratory-processed nano-hybrid resin composite.](#)

Dall'oca S, Papacchini F, Radovic I, Polimeni A, **Ferrari M**.

J Oral Sci. 2008 Dec;50(4):403-12.

PMID:

19106467

Free Article

[Similar articles](#)

Select item 19058685161.

[Influence of C-factor on the microtensile bond strength between fiber posts and resin luting agents.](#)

Wang YJ, Zhang L, Chen JH, Goracci C, **Ferrari M**.

J Adhes Dent. 2008 Oct;10(5):385-91.

PMID:

19058685

[Similar articles](#)

Select item 19049527162.

[Evaluation of the adhesion of fiber posts cemented using different adhesive approaches.](#)

Radovic I, Mazzitelli C, Chieffi N, **Ferrari M**.

Eur J Oral Sci. 2008 Dec;116(6):557-63. doi: 10.1111/j.1600-0722.2008.00577.x.

PMID:

19049527

[Similar articles](#)

Select item 19029079163.

[Light-transmitting ability of marketed fiber posts.](#)

Goracci C, Corciolani G, Vichi A, **Ferrari M**.

J Dent Res. 2008 Dec;87(12):1122-6.

PMID:

19029079

[Similar articles](#)

Select item 18996635164.

[Colour correspondence of a ceramic system in two different shade guides.](#)

Corciolani G, Vichi A, Goracci C, **Ferrari M**.

J Dent. 2009 Feb;37(2):98-101. doi: 10.1016/j.jdent.2008.10.001. Epub 2008 Nov 8.

PMID:

18996635

[Similar articles](#)

Select item 18972785165.

[Fatigue resistance and structural integrity of different types of fiber posts.](#)

Grandini S, Chieffi N, Cagidiaco MC, Goracci C, **Ferrari M**.

Dent Mater J. 2008 Sep;27(5):687-94.

PMID:

18972785

Free Article

[Similar articles](#)

Select item 18952276166.

[Effect of water aging on microtensile bond strength of dual-cured resin cements to pre-treated sintered zirconium-oxide ceramics.](#)

Oyagüe RC, Monticelli F, Toledano M, Osorio E, **Ferrari M**, Osorio R.

Dent Mater. 2009 Mar;25(3):392-9. doi: 10.1016/j.dental.2008.09.002. Epub 2008 Oct 25.

PMID:

18952276

[Similar articles](#)

Select item 18833761167.

[Non-linear viscoelastic finite element analysis of the effect of the length of glass fiber posts on the biomechanical behaviour of directly restored incisors and surrounding alveolar bone.](#)

Ferrari M, Sorrentino R, Zarone F, Apicella D, Aversa R, Apicella A.

Dent Mater J. 2008 Jul;27(4):485-98.

PMID:

18833761

Free Article

[Similar articles](#)

Select item 18828824168.

[One-year outcome of narrow diameter blasted implants for rehabilitation of maxillas with knife-edge resorption.](#)

Veltri M, **Ferrari M**, Balleri P.

Clin Oral Implants Res. 2008 Oct;19(10):1069-73. doi: 10.1111/j.1600-0501.2008.01531.x.

PMID:

18828824

[Similar articles](#)

Select item 18809754169.

[Limited decalcification/diffusion of self-adhesive cements into dentin.](#)

Monticelli F, Osorio R, Mazzitelli C, **Ferrari M**, Toledano M.

J Dent Res. 2008 Oct;87(10):974-9.

PMID:

18809754

[Similar articles](#)

Select item 18792695170.

[Self-adhesive resin cements: a literature review.](#)

Radovic I, Monticelli F, Goracci C, Vulicevic ZR, **Ferrari M.**

J Adhes Dent. 2008 Aug;10(4):251-8. Review.

PMID:

18792695

[Similar articles](#)

Select item 18789651171.

[Sinus membrane elevation in combination with placement of blasted implants: a 3-year case report of sinus augmentation without grafting material.](#)

Sani E, Veltri M, Cagidiaco MC, Balleri P, **Ferrari M.**

Int J Oral Maxillofac Surg. 2008 Oct;37(10):966-9. doi: 10.1016/j.ijom.2008.07.006. Epub 2008 Sep 11.

PMID:

18789651

[Similar articles](#)

Select item 18757129172.

[SEM and microleakage evaluation of the marginal integrity of two types of class V restorations with or without the use of a light-curable coating material and of polishing.](#)

Magni E, Zhang L, Hickel R, Bossù M, Polimeni A, **Ferrari M.**

J Dent. 2008 Nov;36(11):885-91. doi: 10.1016/j.jdent.2008.07.003. Epub 2008 Aug 30.

PMID:

18757129

[Similar articles](#)

Select item 18717092173.

[Clinical studies of fiber posts: a literature review.](#)

Cagidiaco MC, Goracci C, Garcia-Godoy F, **Ferrari M.**

Int J Prosthodont. 2008 Jul-Aug;21(4):328-36. Review.

PMID:

18717092

[Similar articles](#)

Select item 18686771174.

[Placement of fiber prefabricated or custom made posts affects the 3-year survival of endodontically treated premolars.](#)

Cagidiaco MC, García-Godoy F, Vichi A, Grandini S, Goracci C, **Ferrari M.**

Am J Dent. 2008 Jun;21(3):179-84.

PMID:

18686771

[Similar articles](#)

Select item 18652271175.

[Effect of curing modes of dual-curing luting systems and root regions on retention of translucent fiber posts in root canals.](#)

Zhang L, Magni E, Radovic I, Wang YJ, Chen JH, **Ferrari M.**

J Adhes Dent. 2008 Jun;10(3):219-26.

PMID:

18652271

[Similar articles](#)

Select item 18652270176.

[How can droplet formation occur in endodontically treated teeth during bonding procedures?](#)

Ferrari M, Coniglio I, Magni E, Cagidiaco MC, Gallina G, Prati C, Breschi L.

J Adhes Dent. 2008 Jun;10(3):211-8.

PMID:

18652270

[Similar articles](#)

Select item 18649934177.

[Effect of ozone gas application on the mechanical properties of dental adhesives bonded to dentin.](#)

Magni E, **Ferrari M**, Hickel R, Huth KC, Ilie N.

Dent Mater. 2008 Oct;24(10):1428-34. doi: 10.1016/j.dental.2008.06.004. Epub 2008 Jul 22.

PMID:

18649934

[Similar articles](#)

Select item 18621457178.

[Retention of fiber posts cemented at different time intervals in canals obturated using an epoxy resin sealer.](#)

Vano M, Cury AH, Goracci C, Chieffi N, Gabriele M, Tay FR, **Ferrari M**.

J Dent. 2008 Oct;36(10):801-7. doi: 10.1016/j.jdent.2008.05.016. Epub 2008 Jul 14.

PMID:

18621457

[Similar articles](#)

Select item 18620746179.

[Influence of surface treatments and resin cement selection on bonding to densely-sintered zirconium-oxide ceramic.](#)

de Oyağü RC, Monticelli F, Toledano M, Osorio E, **Ferrari M**, Osorio R.

Dent Mater. 2009 Feb;25(2):172-9. doi: 10.1016/j.dental.2008.05.012. Epub 2008 Jul 14.

PMID:

18620746

[Similar articles](#)

Select item 18578181180.

[Susceptibility of a polycaprolactone-based root canal filling material to degradation using an agar-well diffusion assay.](#)

Hiraishi N, Sadek FT, King NM, **Ferrari M**, Pashley DH, Tay FR.

Am J Dent. 2008 Apr;21(2):119-23.

PMID:

18578181

Free PMC Article

[Similar articles](#)

Select item 18570992181.

[The effect of different full-coverage crown systems on fracture resistance and failure pattern of endodontically treated maxillary incisors restored with and without glass fiber posts.](#)

Salameh Z, Sorrentino R, Ounsi HF, Sadig W, Atiyeh F, **Ferrari M.**
J Endod. 2008 Jul;34(7):842-6. doi: 10.1016/j.joen.2008.03.025. Epub 2008 May 16.

PMID:

18570992

[Similar articles](#)

Select item 18505227182.

[Surface treatments for improving bond strength to prefabricated fiber posts: a literature review.](#)

Monticelli F, Osorio R, Sadek FT, Radovic I, Toledano M, **Ferrari M.**

Oper Dent. 2008 May-Jun;33(3):346-55. doi: 10.2341/07-86. Review.

PMID:

18505227

[Similar articles](#)

Select item 18505224183.

[The influence of tip geometry and distance on light-curing efficacy.](#)

Corciolani G, Vichi A, Davidson CL, **Ferrari M.**

Oper Dent. 2008 May-Jun;33(3):325-31. doi: 10.2341/07-94.

PMID:

18505224

[Similar articles](#)

Select item 18498906184.

[Post space debridement in oval-shaped canals: the use of a new ultrasonic tip with oval section.](#)

Coniglio I, Carvalho CA, Magni E, Cantoro A, **Ferrari M.**

J Endod. 2008 Jun;34(6):752-5. doi: 10.1016/j.joen.2008.03.017.

PMID:

18498906

[Similar articles](#)

Select item 18479800185.

[Fracture resistance and failure patterns of endodontically treated mandibular molars with and without glass fiber post in combination with a zirconia-ceramic crown.](#)

Salameh Z, Ounsi HF, Aboushelib MN, Sadig W, **Ferrari M.**

J Dent. 2008 Jul;36(7):513-9. doi: 10.1016/j.jdent.2008.03.014. Epub 2008 May 13.

PMID:

18479800

[Similar articles](#)

Select item 18471248186.

[Effect of post-space treatment on retention of fiber posts in different root regions using two self-etching systems.](#)

Zhang L, Huang L, Xiong Y, Fang M, Chen JH, **Ferrari M.**

Eur J Oral Sci. 2008 Jun;116(3):280-6. doi: 10.1111/j.1600-0722.2008.00536.x.

PMID:

18471248

[Similar articles](#)

Select item 18435379187.

[Wetting ability of single-component self-etching adhesives on enamel and dentin.](#)

Bortolotto T, **Ferrari M**, Krejci I.
Am J Dent. 2008 Feb;21(1):59-63.

PMID:

18435379

[Similar articles](#)

Select item 18435378188.

[Flowable composites as intermediate agents without adhesive application in resin composite repair.](#)

Papacchini F, Radovic I, Magni E, Goracci C, Monticelli F, Chieffi N, Polimeni A, **Ferrari M**.
Am J Dent. 2008 Feb;21(1):53-8.

PMID:

18435378

[Similar articles](#)

Select item 18435373189.

[Early and 24-hour bond strength and degree of conversion of etch-and-rinse and self-etch adhesives.](#)

Sadek FT, Calheiros FC, Cardoso PE, Kawano Y, Tay F, **Ferrari M**.
Am J Dent. 2008 Feb;21(1):30-4.

PMID:

18435373

[Similar articles](#)

Select item 18427359190.

[Shaping outcomes using two Ni-Ti rotary instruments in simulated canals.](#)

Giovannone T, Migliau G, Bedini R, **Ferrari M**, Gallottini L.
Minerva Stomatol. 2008 Apr;57(4):143-54.

PMID:

18427359

[Similar articles](#)

Select item 18389737191.

[Coupling of composite resin cements to quartz fiber posts: a comparison of industrial and chairside treatments of the post surface.](#)

Radovic I, Monticelli F, Cury AH, Bertelli E, Vulicevic ZR, **Ferrari M**.
J Adhes Dent. 2008 Feb;10(1):57-66. No abstract available.

PMID:

18389737

[Similar articles](#)

Select item 18340987192.

[XP BOND in self-curing mode used for luting porcelain restorations. Part B: Placement and 6-month report.](#)

Ferrari M, Raffaelli O, Cagidiaco MC, Grandini S.
J Adhes Dent. 2007;9 Suppl 2:279-82. Erratum in: J Adhes Dent. 2007 Dec;9(6):546.

PMID:

18340987

[Similar articles](#)

Select item 18340986193.

[XP BOND in self-curing mode used for luting porcelain restorations. Part A: Microtensile test.](#)

Raffaelli O, Cagidiaco MC, Goracci C, **Ferrari M.**

J Adhes Dent. 2007;9 Suppl 2:275-8. Erratum in: J Adhes Dent. 2007 Dec;9(6):546.

PMID:

18340986

[Similar articles](#)

Select item 18297827194.

[An in vitro study on the adhesion of quartz fiber posts to radicular dentin.](#)

Putignano A, Poderi G, Cerutti A, Cury A, Monticelli F, Goracci C, **Ferrari M.**

J Adhes Dent. 2007 Oct;9(5):463-7.

PMID:

18297827

[Similar articles](#)

Select item 18295325195.

[Effect of simulated pulpal pressure on self-adhesive cements bonding to dentin.](#)

Mazzitelli C, Monticelli F, Osorio R, Casucci A, Toledano M, **Ferrari M.**

Dent Mater. 2008 Sep;24(9):1156-63. doi: 10.1016/j.dental.2008.01.005. Epub 2008 Mar 4.

PMID:

18295325

[Similar articles](#)

Select item 18269136196.

[Resistance to thermo-mechanical stress of different coupling agents used as intermediate layer in resin-fiber post bonds.](#)

Monticelli F, Osorio R, Tay FR, Sadek FT, **Ferrari M**, Toledano M.

Am J Dent. 2007 Dec;20(6):416-20.

PMID:

18269136

[Similar articles](#)

Select item 18269126197.

[Susceptibility of a polycaprolactone-based root canal filling material to degradation. Evidence of biodegradation from a simulated field test.](#)

Tay FR, Pashley DH, Loushine RJ, Kuttler S, García-Godoy F, King NM, **Ferrari M.**

Am J Dent. 2007 Dec;20(6):365-9.

PMID:

18269126

[Similar articles](#)

Select item 18265710198.

[Three-dimensional finite element analysis of stress and strain distributions in post-and-core treated maxillary central incisors.](#)

Sorrentino R, Salameh Z, Apicella D, Auriemma T, Zarone F, Apicella A, **Ferrari M.**

J Adhes Dent. 2007 Dec;9(6):527-36.

PMID:

18265710

[Similar articles](#)

Select item 18218848199.

[Surface roughness analysis of fiber post conditioning processes.](#)

Mazzitelli C, **Ferrari M**, Toledano M, Osorio E, Monticelli F, Osorio R.
J Dent Res. 2008 Feb;87(2):186-90.

PMID:

18218848

[Similar articles](#)

Select item 18155500200.

[Post space cleaning using a new nickel titanium endodontic drill combined with different cleaning regimens.](#)

Coniglio I, Magni E, Goracci C, Radovic I, Carvalho CA, Grandini S, **Ferrari M**.
J Endod. 2008 Jan;34(1):83-6.

PMID:

18155500

[Similar articles](#)

Select item 18155492201.

[Quantitative and qualitative elemental analysis of different nickel-titanium rotary instruments by using scanning electron microscopy and energy dispersive spectroscopy.](#)

Ounsi HF, Al-Shalan T, Salameh Z, Grandini S, **Ferrari M**.
J Endod. 2008 Jan;34(1):53-5.

PMID:

18155492

[Similar articles](#)

Select item 18061255202.

[The effect of different storage conditions and duration on the fracture strength of three types of translucent fiber posts.](#)

Vichi A, Vano M, **Ferrari M**.
Dent Mater. 2008 Jun;24(6):832-8. Epub 2007 Dec 3.

PMID:

18061255

[Similar articles](#)

Select item 17993023203.

[Long-term retrospective study of the clinical performance of fiber posts.](#)

Ferrari M, Cagidiaco MC, Goracci C, Vichi A, Mason PN, Radovic I, Tay F.
Am J Dent. 2007 Oct;20(5):287-91.

PMID:

17993023

[Similar articles](#)

Select item 17907493204.

[Effect of post-retained composite restorations and amount of coronal residual structure on the fracture resistance of endodontically-treated teeth.](#)

Sorrentino R, Monticelli F, Goracci C, Zarone F, Tay FR, García-Godoy F, **Ferrari M**.
Am J Dent. 2007 Aug;20(4):269-74.

PMID:

17907493

[Similar articles](#)

Select item 17907485205.

[Effect of adhesive systems and surface treatment of methacrylate resin-based fiber posts on post-resin-dentin bonds.](#)

Monticelli F, Osorio R, Albaladejo A, Aguilera FS, Tay FR, **Ferrari M**, Toledano M.
Am J Dent. 2007 Aug;20(4):231-4.

PMID:

17907485

[Similar articles](#)

Select item 17888018206.

[Damping factor for monitoring the bone interface at dental implants.](#)

Veltri M, Balleri P, **Ferrari M**.

Clin Oral Implants Res. 2007 Dec;18(6):738-42. Epub 2007 Sep 20.

PMID:

17888018

[Similar articles](#)

Select item 17850431207.

[Hydrolytic stability of composite repair bond.](#)

Papacchini F, Toledano M, Monticelli F, Osorio R, Radovic I, Polimeni A, García-Godoy F, **Ferrari M**.

Eur J Oral Sci. 2007 Oct;115(5):417-24.

PMID:

17850431

[Similar articles](#)

Select item 17847642208.

[Effect of air-drying temperature on the effectiveness of silane primers and coupling blends in the repair of a microhybrid resin composite.](#)

Papacchini F, Monticelli F, Hasa I, Radovic I, Fabianelli A, Polimeni A, **Ferrari M**.

J Adhes Dent. 2007 Aug;9(4):391-7.

PMID:

17847642

[Similar articles](#)

Select item 17825404209.

[Influence of thickness on color in multi-layering technique.](#)

Vichi A, Fraioli A, Davidson CL, **Ferrari M**.

Dent Mater. 2007 Dec;23(12):1584-9. Epub 2007 Sep 6.

PMID:

17825404

[Similar articles](#)

Select item 17804327210.

[Effect of different all-ceramic crown system on fracture resistance and failure pattern of endodontically treated maxillary premolars restored with and without glass fiber posts.](#)

Salameh Z, Sorrentino R, Ounsi HF, Goracci C, Tashkandi E, Tay FR, **Ferrari M**.
J Endod. 2007 Jul;33(7):848-51. Epub 2007 Mar 26.

PMID:

17804327

[Similar articles](#)

Select item 17766026211.

[Laboratory assessment of the retentive potential of adhesive posts: a review.](#)

Goracci C, Grandini S, Bossù M, Bertelli E, **Ferrari M**.

J Dent. 2007 Nov;35(11):827-35. Epub 2007 Sep 4. Review.

PMID:

17766026

[Similar articles](#)

Select item 19681254212.

[Daytime use of a custom bleaching tray or whitening strips: initial and sustained color improvement.](#)

Ferrari M, Cagidiaco MC, Monticelli F, Kugel G, Barker ML, Gerlach RW.

Am J Dent. 2007 Sep;20 Spec No A:19A-22A. Erratum in: Am J Dent. 2009 Apr;22(2):114.

PMID:

19681254

[Similar articles](#)

Select item 17695609213.

[Effect of intermediate agents and pre-heating of repairing resin on composite-repair bonds.](#)

Papacchini F, Magni E, Radovic I, Mazzitelli C, Monticellia F, Goracci C, Polimeni A, **Ferrari M**.

Oper Dent. 2007 Jul-Aug;32(4):363-71.

PMID:

17695609

[Similar articles](#)

Select item 17659770214.

[Effect of pre-cure temperature on the bonding potential of self-etch and self-adhesive resin cements.](#)

Cantoro A, Goracci C, Papacchini F, Mazzitelli C, Fadda GM, **Ferrari M**.

Dent Mater. 2008 May;24(5):577-83. Epub 2007 Jul 30.

PMID:

17659770

[Similar articles](#)

Select item 17655071215.

[Marginal adaptation after aging of a self-etching adhesive containing an antibacterial monomer.](#)

Bortolotto T, Doudou W, Stavridakis M, **Ferrari M**, Krejci I.

J Adhes Dent. 2007 Jun;9(3):311-7.

PMID:

17655071

[Similar articles](#)

Select item 17652200216.

[Post placement affects survival of endodontically treated premolars.](#)

Ferrari M, Cagidiaco MC, Grandini S, De Sanctis M, Goracci C.
J Dent Res. 2007 Aug;86(8):729-34.

PMID:

17652200

[Similar articles](#)

Select item 17634729217.

[Effect of different bonding procedures on micro-tensile bond strength between a fiber post and resin-based luting agents.](#)

Wang YJ, Raffaelli O, Zhang L, Chen JH, **Ferrari M**.
J Oral Sci. 2007 Jun;49(2):155-60.

PMID:

17634729

Free Article

[Similar articles](#)

Select item 17614189218.

[Accelerated aging of adhesive-mediated fiber post-resin composite bonds: A modeling approach.](#)

Radovic I, Monticelli F, Papacchini F, Magni E, Cury AH, Vulicevic ZR, **Ferrari M**.
J Dent. 2007 Aug;35(8):683-9. Epub 2007 Jul 5.

PMID:

17614189

[Similar articles](#)

Select item 17600324219.

[Application of hydrophobic resin adhesives to acid-etched dentin with an alternative wet bonding technique.](#)

Sadek FT, Pashley DH, Nishitani Y, Carrilho MR, Donnelly A, **Ferrari M**, Tay FR.
J Biomed Mater Res A. 2008 Jan;84(1):19-29.

PMID:

17600324

[Similar articles](#)

Select item 17580463220.

[Clinical performance of fiber post restorations in endodontically treated teeth: 2-year results.](#)

Cagidiaco MC, Radovic I, Simonetti M, Tay F, **Ferrari M**.
Int J Prosthodont. 2007 May-Jun;20(3):293-8.

PMID:

17580463

[Similar articles](#)

Select item 17559926221.

[Effect of cyclic loading under enzymatic activity on resin-dentin interfaces of two self-etching adhesives.](#)

Bortolotto T, Onisor I, Krejci I, **Ferrari M**, Tay FR, Bouillaguet S.
Dent Mater. 2008 Feb;24(2):178-84. Epub 2007 Jun 7.

PMID:

17559926

[Similar articles](#)

Select item 17542200222.

[Degradation of thermo-mechanically loaded adhesive Class V restorations after 18 months of water storage.](#)

Bortolotto T, **Ferrari M**, Tay F, Krejci I.

Am J Dent. 2007 Apr;20(2):83-9.

PMID:

17542200

[Similar articles](#)

Select item 17525351223.

[Tubular occlusion optimizes bonding of hydrophobic resins to dentin.](#)

Sadek FT, Pashley DH, **Ferrari M**, Tay FR.

J Dent Res. 2007 Jun;86(6):524-8.

PMID:

17525351

[Similar articles](#)

Select item 17509417224.

[Effect of clinical use on the cyclic fatigue resistance of ProTaper nickel-titanium rotary instruments.](#)

Ounsi HF, Salameh Z, Al-Shalan T, **Ferrari M**, Grandini S, Pashley DH, Tay FR.

J Endod. 2007 Jun;33(6):737-41. Epub 2007 Apr 16.

PMID:

17509417

[Similar articles](#)

Select item 17489481225.

[Adhesion between fiber posts and resin luting agents: a microtensile bond strength test and an SEM investigation following different treatments of the post surface.](#)

Magni E, Mazzitelli C, Papacchini F, Radovic I, Goracci C, Coniglio I, **Ferrari M**.

J Adhes Dent. 2007 Apr;9(2):195-202.

PMID:

17489481

[Similar articles](#)

Select item 17432401226.

[Effect of post-retained composite restoration of MOD preparations on the fracture resistance of endodontically treated teeth.](#)

Sorrentino R, Salameh Z, Zarone F, Tay FR, **Ferrari M**.

J Adhes Dent. 2007 Feb;9(1):49-56.

PMID:

17432401

[Similar articles](#)

Select item 17432398227.

[Composite-to-composite microtensile bond strength in the repair of a microfilled hybrid resin: effect of surface treatment and oxygen inhibition.](#)

Papacchini F, Dall'Oca S, Chieffi N, Goracci C, Sadek FT, Suh BI, Tay FR, **Ferrari M**.

J Adhes Dent. 2007 Feb;9(1):25-31.

PMID:

17432398

[Similar articles](#)

Select item 17374430228.

[The effect of sandblasting on adhesion of a dual-cured resin composite to methacrylic fiber posts: microtensile bond strength and SEM evaluation.](#)

Radovic I, Monticelli F, Goracci C, Cury AH, Coniglio I, Vulicevic ZR, Garcia-Godoy F, **Ferrari M**.
J Dent. 2007 Jun;35(6):496-502. Epub 2007 Mar 19.

PMID:

17374430

[Similar articles](#)

Select item 17362497229.

[Influence of transducer orientation on Osstell stability measurements of osseointegrated implants.](#)

Veltri M, Balleri P, **Ferrari M**.

Clin Implant Dent Relat Res. 2007 Mar;9(1):60-4.

PMID:

17362497

[Similar articles](#)

Select item 17327814230.

[Bond strength to deep coronal dentin: effect of bonding strategies.](#)

Giovannone T, Migliau G, Bedini R, **Ferrari M**, Gallottini L.

Minerva Stomatol. 2007 Mar;56(3):105-14.

PMID:

17327814

Free Article

[Similar articles](#)

Select item 17326785231.

[Sealing properties of two contemporary single-cone obturation systems.](#)

Monticelli F, Sword J, Martin RL, Schuster GS, Weller RN, **Ferrari M**, Pashley DH, Tay FR.

Int Endod J. 2007 May;40(5):374-85. Epub 2007 Feb 27.

PMID:

17326785

[Similar articles](#)

Select item 17320722232.

[Efficacy of two contemporary single-cone filling techniques in preventing bacterial leakage.](#)

Monticelli F, Sadek FT, Schuster GS, Volkmann KR, Looney SW, **Ferrari M**, Toledano M, Pashley DH, Tay FR.

J Endod. 2007 Mar;33(3):310-3.

PMID:

17320722

[Similar articles](#)

Select item 17320712233.

[Sealing properties of mineral trioxide aggregate orthograde apical plugs and root fillings in an in vitro apexification model.](#)

Martin RL, Monticelli F, Brackett WW, Loushine RJ, Rockman RA, **Ferrari M**, Pashley DH, Tay FR.

J Endod. 2007 Mar;33(3):272-5. Epub 2007 Jan 4.

PMID:

17320712

[Similar articles](#)

Select item 17245740234.

[Post silanization improves bond strength of translucent posts to flowable composite resins.](#)

Albaladejo A, Osorio R, Papacchini F, Goracci C, Toledano M, **Ferrari M.**

J Biomed Mater Res B Appl Biomater. 2007 Aug;82(2):320-4.

PMID:

17245740

[Similar articles](#)

Select item 17243601235.

[A clinical trial of Empress II porcelain inlays luted to vital teeth with a dual-curing adhesive system and a self-curing resin cement.](#)

Fabianelli A, Goracci C, Bertelli E, Davidson CL, **Ferrari M.**

J Adhes Dent. 2006 Dec;8(6):427-31.

PMID:

17243601

[Similar articles](#)

Select item 17243600236.

[The influence of operator variability on adhesive cementation of fiber posts.](#)

Simonetti M, Radovic I, Vano M, Chieffi N, Goracci C, Tognini F, **Ferrari M.**

J Adhes Dent. 2006 Dec;8(6):421-5.

PMID:

17243600

[Similar articles](#)

Select item 17243594237.

[Noninvasive pit and fissure sealing: microtensile bond strength to intact bovine enamel of different pit and fissure sealants in a simplified fissure model.](#)

Papacchini F, Cury AH, Goracci C, Chieffi N, Tay FR, Polimeni A, **Ferrari M.**

J Adhes Dent. 2006 Dec;8(6):375-80.

PMID:

17243594

[Similar articles](#)

Select item 17238160238.

[The application of hydrogen peroxide in composite repair.](#)

Papacchini F, Monticelli F, Radovic I, Chieffi N, Goracci C, Tay FR, Polimeni A, **Ferrari M.**

J Biomed Mater Res B Appl Biomater. 2007 Aug;82(2):298-304.

PMID:

17238160

[Similar articles](#)

Select item 17212073239.

[Effect of the seating pressure on the adhesive bonding of indirect restorations.](#)

Chieffi N, Chersoni S, Papacchini F, Vano M, Goracci C, Davidson CL, Tay FR, **Ferrari M.**

Am J Dent. 2006 Dec;19(6):333-6.

PMID:

17212073

[Similar articles](#)

Select item 17174676240.

[Immediate and 24-hour evaluation of the interfacial strengths of fiber posts.](#)

Sadek FT, Goracci C, Monticelli F, Grandini S, Cury AH, Tay F, **Ferrari M.**
J Endod. 2006 Dec;32(12):1174-7. Epub 2006 Sep 15.

PMID:

17174676

[Similar articles](#)

Select item 17165297241.

[Comparison of 2 bonding systems and survival of fiber-reinforced composite inlay fixed partial dentures.](#)

Monaco C, **Ferrari M**, Caldari M, Baldissara P, Scotti R.
Int J Prosthodont. 2006 Nov-Dec;19(6):577-85.

PMID:

17165297

[Similar articles](#)

Select item 17153984242.

[In vitro hydrolytic degradation of composite quartz fiber-post bonds created by hydrophilic silane couplings.](#)

Monticelli F, Osorio R, Toledano M, Tay FR, **Ferrari M.**
Oper Dent. 2006 Nov-Dec;31(6):728-33.

PMID:

17153984

[Similar articles](#)

Select item 17080881243.

[Microtensile bond strength and interfacial properties of self-etching and self-adhesive resin cements used to lute composite onlays under different seating forces.](#)

Goracci C, Cury AH, Cantoro A, Papacchini F, Tay FR, **Ferrari M.**
J Adhes Dent. 2006 Oct;8(5):327-35.

PMID:

17080881

[Similar articles](#)

Select item 17070903244.

[Three-dimensional finite element analysis of strain and stress distributions in endodontically treated maxillary central incisors restored with different post, core and crown materials.](#)

Sorrentino R, Aversa R, Ferro V, Auriemma T, Zarone F, **Ferrari M**, Apicella A.
Dent Mater. 2007 Aug;23(8):983-93. Epub 2006 Oct 30.

PMID:

17070903

[Similar articles](#)

Select item 16958289245.

[An investigation of the interfacial strengths of methacrylate resin-based glass fiber post-core buildups.](#)

Ferrari M, Goracci C, Sadek FT, Monticelli F, Tay FR.
J Adhes Dent. 2006 Aug;8(4):239-45.

PMID:

16958289

[Similar articles](#)

Select item 16934634246.

[The effect of immediate versus delayed cementation on the retention of different types of fiber post in canals obturated using a eugenol sealer.](#)

Vano M, Cury AH, Goracci C, Chieffi N, Gabriele M, Tay FR, **Ferrari M**.
J Endod. 2006 Sep;32(9):882-5. Epub 2006 Jun 23.

PMID:

16934634

[Similar articles](#)

Select item 16900821247.

[Marginal adaptation of 1 fiber-reinforced composite and 2 all-ceramic inlay fixed partial denture systems.](#)

Monaco C, Krejci I, Bortolotto T, Perakis N, **Ferrari M**, Scotti R.
Int J Prosthodont. 2006 Jul-Aug;19(4):373-82.

PMID:

16900821

[Similar articles](#)

Select item 16861075248.

[Fracture resistance and failure patterns of endodontically treated mandibular molars restored using resin composite with or without translucent glass fiber posts.](#)

Salameh Z, Sorrentino R, Papacchini F, Ounsi HF, Tashkandi E, Goracci C, **Ferrari M**.
J Endod. 2006 Aug;32(8):752-5. Epub 2006 Jun 15.

PMID:

16861075

[Similar articles](#)

Select item 16764131249.

[Effect of dentin adhesives used as sealers and provisional cementation on bond strength of a resin cement to dentin.](#)

Chieffi N, Sadek F, Monticelli F, Goracci C, Grandini S, Davidson C, Tay FR, **Ferrari M**.
Am J Dent. 2006 Apr;19(2):91-5.

PMID:

16764131

[Similar articles](#)

Select item 16728248250.

[Ultrasound effects after post space preparation: An SEM study.](#)

Serafino C, Gallina G, Cumbo E, Monticelli F, Goracci C, **Ferrari M**.
J Endod. 2006 Jun;32(6):549-52. Epub 2006 Apr 4.

PMID:

16728248

[Similar articles](#)

Select item 16728245251.

[Effect of hygroscopic expansion on the push-out resistance of glass ionomer-based cements used for the luting of glass fiber posts.](#)

Cury AH, Goracci C, de Lima Navarro MF, Carvalho RM, Sadek FT, Tay FR, **Ferrari M.**

J Endod. 2006 Jun;32(6):537-40. Epub 2006 Apr 4.

PMID:

16728245

[Similar articles](#)

Select item 16708723252.

[Adhesion between prefabricated fiber-reinforced posts and different composite resin cores: a microtensile bond strength evaluation.](#)

Salameh Z, Papacchini F, Ounsi HF, Goracci C, Tashkandi E, **Ferrari M.**

J Adhes Dent. 2006 Apr;8(2):113-7.

PMID:

16708723

[Similar articles](#)

Select item 16708721253.

[Fatigue resistance of the bond of a glass-infiltrated alumina ceramic to human dentin.](#)

Baldissara P, Valandro LF, Monaco C, **Ferrari M,** Bottino MA, Scotti R.

J Adhes Dent. 2006 Apr;8(2):97-104.

PMID:

16708721

[Similar articles](#)

Select item 16690113254.

[Technique sensitivity associated with air-drying of HEMA-free, single-bottle, one-step self-etch adhesives.](#)

Hiraishi N, Breschi L, Prati C, **Ferrari M,** Tagami J, King NM.

Dent Mater. 2007 Apr;23(4):498-505. Epub 2006 May 9.

PMID:

16690113

[Similar articles](#)

Select item 16679130255.

[Dynamometric assessment of the mechanical resistance of porcelain veneers related to tooth preparation: a comparison between two techniques.](#)

Zarone F, Epifania E, Leone G, Sorrentino R, **Ferrari M.**

J Prosthet Dent. 2006 May;95(5):354-63.

PMID:

16679130

[Similar articles](#)

Select item 16631846256.

[Improving the quality of the quartz fiber postcore bond using sodium ethoxide etching and combined silane/adhesive coupling.](#)

Monticelli F, Osorio R, Toledano M, Goracci C, Tay FR, **Ferrari M.**

J Endod. 2006 May;32(5):447-51. Epub 2006 Feb 7.

PMID:

16631846

[Similar articles](#)

Select item 16631842257.

[Is an oxygen inhibited layer required for bonding of resin-coated gutta-percha to a methacrylate-based root canal sealer?](#)

Hiraishi N, Loushine RJ, Vano M, Chieffi N, Weller RN, **Ferrari M**, Pashley DH, Tay FR.

J Endod. 2006 May;32(5):429-33. Epub 2006 Feb 17.

PMID:

16631842

[Similar articles](#)

Select item 16536190258.

[Effect of cyclic loading on the microtensile bond strengths of total-etch and self-etch adhesives.](#)

Toledano M, Osorio R, Albaladejo A, Aguilera FS, Tay FR, **Ferrari M**.

Oper Dent. 2006 Jan-Feb;31(1):25-32.

PMID:

16536190

[Similar articles](#)

Select item 16494935259.

[The effect of application sustained seating pressure on adhesive luting procedure.](#)

Chieffi N, Chersoni S, Papacchini F, Vano M, Goracci C, Davidson CL, Tay FR, **Ferrari M**.

Dent Mater. 2007 Feb;23(2):159-64. Epub 2006 Feb 21.

PMID:

16494935

[Similar articles](#)

Select item 16434092260.

[Bond strength performance of different resin composites used as core materials around fiber posts.](#)

Sadek FT, Monticelli F, Goracci C, Tay FR, Cardoso PE, **Ferrari M**.

Dent Mater. 2007 Jan;23(1):95-9. Epub 2006 Jan 24.

PMID:

16434092

[Similar articles](#)

Select item 16430010261.

[Microtensile bond strength of current dentin adhesives measured immediately and 24 hours after application.](#)

Sadek FT, Goracci C, Cardoso PE, Tay FR, **Ferrari M**.

J Adhes Dent. 2005 Winter;7(4):297-302.

PMID:

16430010

[Similar articles](#)

Select item 16430006262.

[Globalization in dentistry?](#)

Ferrari M.

J Adhes Dent. 2005 Winter;7(4):267. No abstract available.

PMID:

16430006

[Similar articles](#)

Select item 16410067263.

[A simple etching technique for improving the retention of fiber posts to resin composites.](#)

Monticelli F, Toledano M, Tay FR, Sadek FT, Goracci C, **Ferrari M.**

J Endod. 2006 Jan;32(1):44-7.

PMID:

16410067

[Similar articles](#)

Select item 16409326264.

[The adhesion between fibre posts and composite resin cores: the evaluation of microtensile bond strength following various surface chemical treatments to posts.](#)

Vano M, Goracci C, Monticelli F, Tognini F, Gabriele M, Tay FR, **Ferrari M.**

Int Endod J. 2006 Jan;39(1):31-9.

PMID:

16409326

[Similar articles](#)

Select item 16406084265.

[Evaluation of the biomechanical behavior of maxillary central incisors restored by means of endocrowns compared to a natural tooth: a 3D static linear finite elements analysis.](#)

Zarone F, Sorrentino R, Apicella D, Valentino B, **Ferrari M**, Aversa R, Apicella A.

Dent Mater. 2006 Nov;22(11):1035-44. Epub 2006 Jan 10.

PMID:

16406084

[Similar articles](#)

Select item 16364422266.

[Effect of temperature on the silane coupling agents when bonding core resin to quartz fiber posts.](#)

Monticelli F, Toledano M, Osorio R, **Ferrari M.**

Dent Mater. 2006 Nov;22(11):1024-8. Epub 2005 Dec 20.

PMID:

16364422

[Similar articles](#)

Select item 16289722267.

[Post-surface conditioning improves interfacial adhesion in post/core restorations.](#)

Monticelli F, Toledano M, Tay FR, Cury AH, Goracci C, **Ferrari M.**

Dent Mater. 2006 Jul;22(7):602-9. Epub 2005 Nov 14.

PMID:

16289722

[Similar articles](#)

Select item 16268398268.

[Evaluation of the adhesion of fiber posts to intraradicular dentin.](#)

Goracci C, Sadek FT, Fabianelli A, Tay FR, **Ferrari M**.
Oper Dent. 2005 Sep-Oct;30(5):627-35.

PMID:

16268398

[Similar articles](#)

Select item 16249724269.

[Interfacial strength of Resilon and gutta-percha to intraradicular dentin.](#)

Gesi A, Raffaelli O, Goracci C, Pashley DH, Tay FR, **Ferrari M**.

J Endod. 2005 Nov;31(11):809-13.

PMID:

16249724

[Similar articles](#)

Select item 16245285270.

[Effects of adhesive systems and luting agents on bonding of fiber posts to root canal dentin.](#)

Monticelli F, Osorio R, Albaladejo A, Aguilera FS, **Ferrari M**, Tay FR, Toledano M.

J Biomed Mater Res B Appl Biomater. 2006 Apr;77(1):195-200.

PMID:

16245285

[Similar articles](#)

Select item 16240965271.

[SEM evaluation of the cement layer thickness after luting two different posts.](#)

Grandini S, Goracci C, Monticelli F, Borracchini A, **Ferrari M**.

J Adhes Dent. 2005 Autumn;7(3):235-40.

PMID:

16240965

[Similar articles](#)

Select item 16220805272.

[Clinical evaluation of the use of fiber posts and direct resin restorations for endodontically treated teeth.](#)

Grandini S, Goracci C, Tay FR, Grandini R, **Ferrari M**.

Int J Prosthodont. 2005 Sep-Oct;18(5):399-404.

PMID:

16220805

[Similar articles](#)

Select item 16164690273.

[Shear bond strength of Resilon to a methacrylate-based root canal sealer.](#)

Hiraishi N, Papacchini F, Loushine RJ, Weller RN, **Ferrari M**, Pashley DH, Tay FR.

Int Endod J. 2005 Oct;38(10):753-63.

PMID:

16164690

[Similar articles](#)

Select item 16123701274.

[Effectiveness of resin-coated gutta-percha cones and a dual-cured, hydrophilic methacrylate resin-based sealer in obturating root canals.](#)

Tay FR, Loushine RJ, Monticelli F, Weller RN, Breschi L, **Ferrari M**, Pashley DH.
J Endod. 2005 Sep;31(9):659-64.

PMID:

16123701

[Similar articles](#)

Select item 16044046275.

[The contribution of friction to the dislocation resistance of bonded fiber posts.](#)

Goracci C, Fabianelli A, Sadek FT, Papacchini F, Tay FR, **Ferrari M**.

J Endod. 2005 Aug;31(8):608-12.

PMID:

16044046

[Similar articles](#)

Select item 16002134276.

[The influence of the cutting speed on bond strength and integrity of microtensile specimens.](#)

Sadek FT, Cury AH, Monticelli F, **Ferrari M**, Cardoso PE.

Dent Mater. 2005 Dec;21(12):1144-9. Epub 2005 Jul 6.

PMID:

16002134

[Similar articles](#)

Select item 15979228277.

[Single-bottle adhesives behave as permeable membranes after polymerisation. II. Differential permeability reduction with an oxalate desensitiser.](#)

Yiu CK, Hiraishi N, Chersoni S, Breschi L, **Ferrari M**, Prati C, King NN, Pashley DH, Tay FR.

J Dent. 2006 Feb;34(2):106-16. Epub 2005 Jun 23.

PMID:

15979228

[Similar articles](#)

Select item 15964621278.

[Solvent and water retention in dental adhesive blends after evaporation.](#)

Yiu CK, Pashley EL, Hiraishi N, King NM, Goracci C, **Ferrari M**, Carvalho RM, Pashley DH, Tay FR.

Biomaterials. 2005 Dec;26(34):6863-72.

PMID:

15964621

[Similar articles](#)

Select item 15935265279.

[Microtensile bond strength to ground enamel by glass-ionomers, resin-modified glass-ionomers, and resin composites used as pit and fissure sealants.](#)

Papacchini F, Goracci C, Sadek FT, Monticelli F, Garcia-Godoy F, **Ferrari M**.

J Dent. 2005 Jul;33(6):459-67. Epub 2004 Dec 20.

PMID:

15935265

[Similar articles](#)

Select item 15892362280.

[In vitro evaluation of wall-to-wall adaptation of a self-adhesive resin cement used for luting gold and ceramic inlays.](#)

Fabianelli A, Goracci C, Bertelli E, Monticelli F, Grandini S, **Ferrari M.**
J Adhes Dent. 2005 Spring;7(1):33-40.

PMID:

15892362

[Similar articles](#)

Select item 15826700281.

[The adhesion between prefabricated FRC posts and composite resin cores: microtensile bond strength with and without post-silanization.](#)

Goracci C, Raffaelli O, Monticelli F, Balleri B, Bertelli E, **Ferrari M.**
Dent Mater. 2005 May;21(5):437-44.

PMID:

15826700

[Similar articles](#)

Select item 15810484282.

[Scanning electron microscopic evaluation of fiber post-resin core units built up with different resin composites.](#)

Monticelli F, Goracci C, Grandini S, García-Godoy F, **Ferrari M.**
Am J Dent. 2005 Feb;18(1):61-5.

PMID:

15810484

[Similar articles](#)

Select item 15779317283.

[Microtensile bond strength of self-etching adhesives to enamel and dentin.](#)

Goracci C, Sadek FT, Monticelli F, Cardoso PE, **Ferrari M.**
J Adhes Dent. 2004 Winter;6(4):313-8.

PMID:

15779317

[Similar articles](#)

Select item 15723860284.

[In vivo fluid movement through dentin adhesives in endodontically treated teeth.](#)

Chersoni S, Acquaviva GL, Prati C, **Ferrari M**, Grandini S, Pashley DH, Tay FR.
J Dent Res. 2005 Mar;84(3):223-7.

PMID:

15723860

[Similar articles](#)

Select item 15681005285.

[Fatigue resistance and structural characteristics of fiber posts: three-point bending test and SEM evaluation.](#)

Grandini S, Goracci C, Monticelli F, Tay FR, **Ferrari M.**
Dent Mater. 2005 Feb;21(2):75-82.

PMID:

15681005

[Similar articles](#)

Select item 15478494286.

[Clinical trial evaluating the peroxide concentration response of whitening strips over 28 days.](#)

Ferrari M, Kugel G, Cagidiaco MC, Barker ML, Gerlach RW.

Am J Dent. 2004 Aug;17(4):291-4.

PMID:

15478494

[Similar articles](#)

Select item 15451234287.

[Water movement in the hybrid layer after different dentin treatments.](#)

Chersoni S, Suppa P, Breschi L, **Ferrari M**, Tay FR, Pashley DH, Prati C.

Dent Mater. 2004 Nov;20(9):796-803.

PMID:

15451234

[Similar articles](#)

Select item 15347292288.

[A one step procedure for luting glass fibre posts: an SEM evaluation.](#)

Grandini S, Sapio S, Goracci C, Monticelli F, **Ferrari M**.

Int Endod J. 2004 Oct;37(10):679-86.

PMID:

15347292

[Similar articles](#)

Select item 15279655289.

[The adhesion between fiber posts and root canal walls: comparison between microtensile and push-out bond strength measurements.](#)

Goracci C, Tavares AU, Fabianelli A, Monticelli F, Raffaelli O, Cardoso PC, Tay F, **Ferrari M**.

Eur J Oral Sci. 2004 Aug;112(4):353-61.

PMID:

15279655

[Similar articles](#)

Select item 15272658290.

[Evaluation of the bonding mechanism of an adhesive material to primary teeth.](#)

Gotti G, Goracci C, Garcia-Godoy F, **Ferrari M**.

J Dent Child (Chic). 2004 Jan-Apr;71(1):54-60.

PMID:

15272658

[Similar articles](#)

Select item 15236939291.

[Influence of substrate, shape, and thickness on microtensile specimens' structural integrity and their measured bond strengths.](#)

Goracci C, Sadek FT, Monticelli F, Cardoso PE, **Ferrari M**.

Dent Mater. 2004 Sep;20(7):643-54.

PMID:

15236939

[Similar articles](#)

Select item 15153452292.

[In vivo and in vitro permeability of one-step self-etch adhesives.](#)

Chersoni S, Suppa P, Grandini S, Goracci C, Monticelli F, Yiu C, Huang C, Prati C, Breschi L, **Ferrari M**, Pashley DH, Tay FR.

J Dent Res. 2004 Jun;83(6):459-64.

PMID:

15153452

[Similar articles](#)

Select item 15111635293.

[Collagen degradation in endodontically treated teeth after clinical function.](#)

Ferrari M, Mason PN, Goracci C, Pashley DH, Tay FR.

J Dent Res. 2004 May;83(5):414-9.

PMID:

15111635

[Similar articles](#)

Select item 15024364294.

[Surface debris of canal walls after post space preparation in endodontically treated teeth: a scanning electron microscopic study.](#)

Serafino C, Gallina G, Cumbo E, **Ferrari M**.

Oral Surg Oral Med Oral Pathol Oral Radiol Endod. 2004 Mar;97(3):381-7.

PMID:

15024364

[Similar articles](#)

Select item 14964682295.

[Microleakage and resin cement film thickness of luted all-ceramic and gold electroformed porcelain-fused-to-metal crowns.](#)

Jacques LB, **Ferrari M**, Cardoso PE.

J Adhes Dent. 2003 Summer;5(2):145-52.

PMID:

14964682

[Similar articles](#)

Select item 14964679296.

[Microtensile dentin bond strength of self-etching and single-bottle adhesive systems in different cavity configurations.](#)

Mallmann A, Zovico F, Soares M, Placido E, **Ferrari M**, Cardoso PE.

J Adhes Dent. 2003 Summer;5(2):121-7.

PMID:

14964679

[Similar articles](#)

Select item 14765637297.

[Bonding to worn or fractured incisal edges: shear bond strength of new adhesive systems.](#)

Goracci C, Bertelli E, **Ferrari M**.

Quintessence Int. 2004 Jan;35(1):21-7.

PMID:

14765637

[Similar articles](#)

Select item 14714836298.

[Clinical behavior of translucent-fiber posts: a 2-year prospective study.](#)

Monticelli F, Grandini S, Goracci C, **Ferrari M.**

Int J Prosthodont. 2003 Nov-Dec;16(6):593-6.

PMID:

14714836

[Similar articles](#)

Select item 14706801299.

[Micromorphology of the fiber post-resin core unit: a scanning electron microscopy evaluation.](#)

Monticelli F, Goracci C, **Ferrari M.**

Dent Mater. 2004 Feb;20(2):176-83.

PMID:

14706801

[Similar articles](#)

Select item 14653290300.

[Incompatibility of self-etch adhesives with chemical/dual-cured composites: two-step vs one-step systems.](#)

Cheong C, King NM, Pashley DH, **Ferrari M**, Toledano M, Tay FR.

Oper Dent. 2003 Nov-Dec;28(6):747-55.

PMID:

14653290

[Similar articles](#)

Select item 14621243301.

[Sealing ability of packable resin composites in class II restorations.](#)

Fabianelli A, Goracci C, **Ferrari M.**

J Adhes Dent. 2003 Fall;5(3):217-23.

PMID:

14621243

[Similar articles](#)

Select item 14503831302.

[Comparison of two techniques for removing fiber posts.](#)

Gesi A, Magnolfi S, Goracci C, **Ferrari M.**

J Endod. 2003 Sep;29(9):580-2.

PMID:

14503831

[Similar articles](#)

Select item 12854799303.

[Clinical evaluation of fiber-reinforced composite inlay FPDs.](#)

Monaco C, **Ferrari M**, Miceli GP, Scotti R.

Int J Prosthodont. 2003 May-Jun;16(3):319-25.

PMID:

12854799

[Similar articles](#)

Select item 12744411304.

[Efficacy of self-etching primer on sealing margins of Class II restorations.](#)

Fabianelli A, Kugel G, **Ferrari M.**

Am J Dent. 2003 Feb;16(1):37-41.

PMID:

12744411

[Similar articles](#)

Select item 12686290305.

[Marginal integrity of ceramic inlays luted with a self-curing resin system.](#)

Ferrari M, Dagostin A, Fabianelli A.

Dent Mater. 2003 Jun;19(4):270-6.

PMID:

12686290

[Similar articles](#)

Select item 12666748306.

[Adhesion testing with the microtensile method: effects of dental substrate and adhesive system on bond strength measurements.](#)

Cardoso PE, Sadek FT, Goracci C, **Ferrari M.**

J Adhes Dent. 2002 Winter;4(4):291-7.

PMID:

12666748

[Similar articles](#)

Select item 12664470307.

[Microtensile bond strength tests: scanning electron microscopy evaluation of sample integrity before testing.](#)

Ferrari M, Goracci C, Sadek F, Eduardo P, Cardoso C.

Eur J Oral Sci. 2002 Oct;110(5):385-91.

PMID:

12664470

[Similar articles](#)

Select item 12572639308.

[Influence of microbrush on efficacy of bonding into root canals.](#)

Ferrari M, Vichi A, Grandini S, Geppi S.

Am J Dent. 2002 Aug;15(4):227-31.

PMID:

12572639

[Similar articles](#)

Select item 12540111309.

[Technique sensitivity in bonding to vital, acid-etched dentin.](#)

Ferrari M, Tay FR.

Oper Dent. 2003 Jan-Feb;28(1):3-8.

PMID:

12540111

[Similar articles](#)

Select item 12424459310.

[Influence of a microbrush on bonding fiber post into root canals under clinical conditions.](#)

Ferrari M, Grandini S, Simonetti M, Monticelli F, Goracci C.

Oral Surg Oral Med Oral Pathol Oral Radiol Endod. 2002 Nov;94(5):627-31.

PMID:

12424459

[Similar articles](#)

Select item 12191661311.

[An SEM evaluation of several adhesive systems used for bonding fiber posts under clinical conditions.](#)

Vichi A, Grandini S, Davidson CL, **Ferrari M**.

Dent Mater. 2002 Nov;18(7):495-502.

PMID:

12191661

[Similar articles](#)

Select item 12184426312.

[Scanning electron microscopic investigation of the surface of fiber posts after cutting.](#)

Grandini S, Balleri P, **Ferrari M**.

J Endod. 2002 Aug;28(8):610-2.

PMID:

12184426

[Similar articles](#)

Select item 12092990313.

[Sealing ability of new generation adhesive-restorative materials placed on vital teeth.](#)

Ferrari M, García-Godoy F.

Am J Dent. 2002 Apr;15(2):117-28. Review.

PMID:

12092990

[Similar articles](#)

Select item 12066701314.

[Efficacy of a self-curing adhesive-resin cement system on luting glass-fiber posts into root canals: an SEM investigation.](#)

Ferrari M, Vichi A, Grandini S, Goracci C.

Int J Prosthodont. 2001 Nov-Dec;14(6):543-9.

PMID:

12066701

[Similar articles](#)

Select item 12043868315.

[Evaluation of Glyde File Prep in combination with sodium hypochlorite as a root canal irrigant.](#)

Grandini S, Balleri P, **Ferrari M**.

J Endod. 2002 Apr;28(4):300-3.

PMID:

12043868

[Similar articles](#)

Select item 12026918316.

[Comparison between two clinical procedures for bonding fiber posts into a root canal: a microscopic investigation.](#)

Vichi A, Grandini S, **Ferrari M.**

J Endod. 2002 May;28(5):355-60.

PMID:

12026918

[Similar articles](#)

Select item 11992907317.

[Effect of resins sealing of dentin on the bond strength of ceramic restorations.](#)

Dagostin A, **Ferrari M.**

Dent Mater. 2002 Jun;18(4):304-10.

PMID:

11992907

[Similar articles](#)

Select item 11893051318.

[Clinical procedure for luting glass-fiber posts.](#)

Vichi A, Grandini S, **Ferrari M.**

J Adhes Dent. 2001 Winter;3(4):353-9.

PMID:

11893051

[Similar articles](#)

Select item 11887534319.

[Pulp-dentin biology in restorative dentistry. Part 6: Reactions to restorative materials, tooth-restoration interfaces, and adhesive techniques.](#)

Mjör IA, **Ferrari M.**

Quintessence Int. 2002 Jan;33(1):35-63. Review.

PMID:

11887534

[Similar articles](#)

Select item 11806481320.

[Orthodontic-restorative treatment of chipped or worn incisors.](#)

Goracci C, Gheewalla R, Kugel G, **Ferrari M.**

Am J Dent. 2001 Feb;14(1):50-5.

PMID:

11806481

[Similar articles](#)

Select item 11764128321.

[Role of hybridization on marginal leakage and bond strength.](#)

Ferrari M, Mason PN, Vichi A, Davidson CL.

Am J Dent. 2000 Dec;13(6):329-36.

PMID:

11764128

[Similar articles](#)

Select item 11764112322.

[Bonding to root canal: structural characteristics of the substrate.](#)

Ferrari M, Mannocci F, Vichi A, Cagidiaco MC, Mjör IA.

Am J Dent. 2000 Oct;13(5):255-60.

PMID:

11764112

[Similar articles](#)

Select item 11763869323.

[Retrospective study of the clinical performance of fiber posts.](#)

Ferrari M, Vichi A, Mannocci F, Mason PN.

Am J Dent. 2000 May;13(Spec No):9B-13B.

PMID:

11763869

[Similar articles](#)

Select item 11763866324.

[Clinical evaluation of fiber-reinforced epoxy resin posts and cast post and cores.](#)

Ferrari M, Vichi A, García-Godoy F.

Am J Dent. 2000 May;13(Spec No):15B-18B.

PMID:

11763866

[Similar articles](#)

Select item 11725680325.

[Intermittent loading of teeth restored using quartz fiber, carbon-quartz fiber, and zirconium dioxide ceramic root canal posts.](#)

Mannocci F, **Ferrari M**, Watson TF.

J Adhes Dent. 1999 Summer;1(2):153-8.

PMID:

11725680

[Similar articles](#)

Select item 11725671326.

[In vitro leakage of resin-bonded all-porcelain crowns.](#)

Ferrari M, Mannocci F, Mason PN, Kugel G.

J Adhes Dent. 1999 Autumn;1(3):233-42.

PMID:

11725671

[Similar articles](#)

Select item 11699737327.

[Microtensile bond strength and confocal microscopy of dental adhesives bonded to root canal dentin.](#)

Mannocci F, Sherriff M, **Ferrari M**, Watson TF.

Am J Dent. 2001 Aug;14(4):200-4.

PMID:

11699737

[Similar articles](#)

Select item 11507796328.

[In vivo bonding mechanism of an experimental dual-cure enamel-dentin bonding system.](#)

Dagostin A, Ferrari M.

Am J Dent. 2001 Apr;14(2):105-8.

PMID:

11507796

[Similar articles](#)

Select item 11482717329.

[The structure of dentine in the apical region of human teeth.](#)

Mjör IA, Smith MR, Ferrari M, Mannocci F.

Int Endod J. 2001 Jul;34(5):346-53.

PMID:

11482717

[Similar articles](#)

Select item 11445210330.

[Efficacy of different adhesive techniques on bonding to root canal walls: an SEM investigation.](#)

Ferrari M, Vichi A, Grandini S.

Dent Mater. 2001 Sep;17(5):422-9.

PMID:

11445210

[Similar articles](#)

Select item 11307217331.

[A 'one-bottle' adhesive system for bonding a fibre post into a root canal: an SEM evaluation of the post-resin interface.](#)

Ferrari M, Mannocci F.

Int Endod J. 2000 Jul;33(4):397-400.

PMID:

11307217

[Similar articles](#)

Select item 11264937332.

[Microleakage of endodontically treated teeth restored with fiber posts and composite cores after cyclic loading: a confocal microscopic study.](#)

Mannocci F, Ferrari M, Watson TF.

J Prosthet Dent. 2001 Mar;85(3):284-91.

PMID:

11264937

[Similar articles](#)

Select item 11203834333.

[Bond strengths of a porcelain material to different abutment substrates.](#)

Ferrari M, Mannocci F, Vichi A, Goracci G.

Oper Dent. 2000 Jul-Aug;25(4):299-305.

PMID:

11203834

[Similar articles](#)

Select item 11163386334.

[Bonding of all-porcelain crowns: structural characteristics of the substrate.](#)

Ferrari M, Cagidiaco MC, Vichi A, Mannocci F, Mason PN, Mjör IA.

Dent Mater. 2001 Mar;17(2):156-64.

PMID:

11163386

[Similar articles](#)

Select item 10860341335.

[The science of bonding: from first to sixth generation.](#)

Kugel G, **Ferrari M**.

J Am Dent Assoc. 2000 Jun;131 Suppl:20S-25S. Review.

PMID:

10860341

[Similar articles](#)

Select item 10860331336.

[Disinfection and communication practices: a survey of U.S. dental laboratories.](#)

Kugel G, Perry RD, **Ferrari M**, Lalicata P.

J Am Dent Assoc. 2000 Jun;131(6):786-92.

PMID:

10860331

[Similar articles](#)

Select item 10756290337.

[Influence of ceramic and cement thickness on the masking of various types of opaque posts.](#)

Vichi A, **Ferrari M**, Davidson CL.

J Prosthet Dent. 2000 Apr;83(4):412-7.

PMID:

10756290

[Similar articles](#)

Select item 10726522338.

[Confocal and scanning electron microscopic study of teeth restored with fiber posts, metal posts, and composite resins.](#)

Mannocci F, Innocenti M, **Ferrari M**, Watson TF.

J Endod. 1999 Dec;25(12):789-94.

PMID:

10726522

[Similar articles](#)

Select item 10649936339.

[Influence of tissue characteristics at margins on leakage of Class II indirect porcelain restorations.](#)

Ferrari M, Mason PN, Fabianelli A, Cagidiaco MC, Kugel G, Davidson CL.

Am J Dent. 1999 Jun;12(3):134-42.

PMID:

10649936

[Similar articles](#)

Select item 10649916340.

[Clinical evaluation of a one-bottle bonding system for desensitizing exposed roots.](#)

Ferrari M, Cagidiaco MC, Kugel G, Davidson CL.

Am J Dent. 1999 Oct;12(5):243-9.

PMID:

10649916

[Similar articles](#)

Select item 10477987341.

[Standardized microscopic evaluation of the bonding mechanism of NRC/Prime & Bond NT.](#)

Ferrari M, Mannocci F, Kugel G, García-Godoy F.

Am J Dent. 1999 Apr;12(2):77-83.

PMID:

10477987

[Similar articles](#)

Select item 10218026342.

[Dyract compomer: comparison of total etch vs. no etch technique.](#)

Kugel G, Perry RD, Hoang E, Hoang T, **Ferrari M**.

Gen Dent. 1998 Nov-Dec;46(6):604-6.

PMID:

10218026

[Similar articles](#)

Select item 9852801343.

[Handling characteristics of resin composites in posterior teeth.](#)

Ferrari M, Kugel G.

Compend Contin Educ Dent. 1998 Sep;19(9):879-82, 884, 886 passim; quiz 894.

PMID:

9852801

[Similar articles](#)

Select item 9693581344.

[Stereomicroscopic and scanning electron microscopic study of roots obturated with vertically condensed gutta-percha, epoxy resin cement, and dentin bonding agent.](#)

Mannocci F, Innocenti M, **Ferrari M**.

J Endod. 1998 Jun;24(6):397-400.

PMID:

9693581

[Similar articles](#)

Select item 9590920345.

[Interdiffusion of a traditional glass ionomer cement into conditioned dentin.](#)

Ferrari M, Davidson CL.

Am J Dent. 1997 Dec;10(6):295-7. Erratum in: Am J Dent 1998 Feb;11(1):28.

PMID:

9590920

[Similar articles](#)

Select item 9587279346.

[Sealing ability of several restorative materials used for repair of lateral root perforations.](#)

Mannocci F, Vichi A, Ferrari M.

J Endod. 1997 Oct;23(10):639-41.

PMID:

9587279

[Similar articles](#)

Select item 9522696347.

[Bonding mechanism of three "one-bottle" systems to conditioned and unconditioned enamel and dentin.](#)

Ferrari M, Goracci G, García-Godoy F.

Am J Dent. 1997 Oct;10(5):224-30.

PMID:

9522696

[Similar articles](#)

Select item 9513096348.

[Sealing ability of two "compomers" applied with and without phosphoric acid treatment for Class V restorations in vivo.](#)

Ferrari M, Vichi A, Mannocci F, Davidson CL.

J Prosthet Dent. 1998 Feb;79(2):131-5.

PMID:

9513096

[Similar articles](#)

Select item 9487866349.

[Apical seal of roots obturated with laterally condensed gutta-percha, epoxy resin cement, and dentin bonding agent.](#)

Mannocci F, Ferrari M.

J Endod. 1998 Jan;24(1):41-4.

PMID:

9487866

[Similar articles](#)

Select item 9241956350.

[Mapping of tubule and intertubule surface areas available for bonding in Class V and Class II preparations.](#)

Cagidiaco MC, Ferrari M, Vichi A, Davidson CL.

J Dent. 1997 Sep;25(5):379-89.

PMID:

9241956

[Similar articles](#)

Select item 9552819351.

[Short-term assessment of leakage of Class V composite restorations placed in vivo.](#)

Ferrari M, Mannocci F, Cagidiaco MC, Kugel G.

Clin Oral Investig. 1997 Jun;1(2):61-4.

PMID:

9552819

[Similar articles](#)

Select item 9758968352.

[Resistance of cementum in Class II and V cavities to penetration by an adhesive system.](#)

Ferrari M, Cagidiaco MC, Davidson CL.

Dent Mater. 1997 May;13(3):157-62.

PMID:

9758968

[Similar articles](#)

Select item 9545892353.

[Effect of two etching times on the sealing ability of Clearfil Liner Bond 2 in Class V restorations.](#)

Ferrari M, Mannocci F, Vichi A, Davidson CL.

Am J Dent. 1997 Apr;10(2):66-70.

PMID:

9545892

[Similar articles](#)

Select item 12698529354.

[The resin-bonded cast post core: technical preparation and cementation protocols.](#)

Ferrari M, Vichi A, Colt SG, Mason PN.

Pract Periodontics Aesthet Dent. 1997 Mar;9(2):233-41; quiz 243. Review.

PMID:

12698529

[Similar articles](#)

Select item 9096813355.

[Comparison of in vivo and in vitro demineralized dentin with phosphoric and maleic acid.](#)

Cagidiaco MC, **Ferrari M**, Davidson CL.

ASDC J Dent Child. 1997 Jan-Feb;64(1):17-21.

PMID:

9096813

[Similar articles](#)

Select item 9545876356.

[Dentin infiltration by three adhesive systems in clinical and laboratory conditions.](#)

Ferrari M, Cagidiaco MC, Kugel G, Davidson CL.

Am J Dent. 1996 Dec;9(6):240-4.

PMID:

9545876

[Similar articles](#)

Select item 8887796357.

[In vivo resin-dentin interdiffusion and tag formation with lateral branches of two adhesive systems.](#)

Ferrari M, Davidson CL.

J Prosthet Dent. 1996 Sep;76(3):250-3.

PMID:

8887796

[Similar articles](#)

Select item 9002788358.

[Sealing performance of Scotchbond Multi-Purpose-Z100 in Class II restorations.](#)

Ferrari M, Davidson CL.

Am J Dent. 1996 Aug;9(4):145-9.

PMID:

9002788

[Similar articles](#)

Select item 8820817359.

[A simple system for priming dentin while keeping it wet and simultaneously drying the enamel in class V composite restorations.](#)

Mannocci F, Ferrari M.

J Prosthet Dent. 1996 Aug;76(2):219-20. No abstract available.

PMID:

8820817

[Similar articles](#)

Select item 8675793360.

[Shear bond strength of four dentinal adhesives applied in vivo and in vitro.](#)

Mason PN, Ferrari M, Cagidiaco MC, Davidson CL.

J Dent. 1996 May;24(3):217-22.

PMID:

8675793

[Similar articles](#)

Select item 9522686361.

[Dentin contamination protection after mechanical preparation for veneering.](#)

Cagidiaco MC, Ferrari M, Garberoglio R, Davidson CL.

Am J Dent. 1996 Apr;9(2):57-60.

PMID:

9522686

[Similar articles](#)

Select item 8957921362.

[Sealing capacity of a resin-modified glass-ionomer and resin composite placed in vivo in Class 5 restorations.](#)

Ferrari M, Davidson CL.

Oper Dent. 1996 Mar-Apr;21(2):69-72.

PMID:

8957921

[Similar articles](#)

Select item 8648569363.

[Tissue management with a new gingival retraction material: a preliminary clinical report.](#)

Ferrari M, Cagidiaco MC, Ercoli C.

J Prosthet Dent. 1996 Mar;75(3):242-7.

PMID:

8648569

[Similar articles](#)

Select item 9028275364.

[All-ceramic fixed restorations: a preliminary clinical evaluation.](#)

Ferrari M, Cagidiaco MC, Kugel G.

Pract Periodontics Aesthet Dent. 1996 Jan-Feb;8(1):73-80; quiz 82.

PMID:

9028275

[Similar articles](#)

Select item 7670085365.

[Tissue management and retraction technique combined with all-ceramic crowns: case reports.](#)

Ferrari M, Nathanson D.

Pract Periodontics Aesthet Dent. 1995 Apr;7(3):87-94.

PMID:

7670085

[Similar articles](#)

Select item 7568696366.

[Micromorphologic relationship between resin and dentin in Class II restorations: an in vivo and in vitro investigation by scanning electron microscopy.](#)

Ferrari M, Cagidiaco MC, Mason PN.

Quintessence Int. 1994 Dec;25(12):861-6.

PMID:

7568696

[Similar articles](#)

Select item 9161250367.

[Traumatic injuries to permanent incisors: a case report.](#)

Ferrari M, Cagidiaco MC.

Quintessence Int. 1994 Oct;25(10):717-21.

PMID:

9161250

[Similar articles](#)

Select item 7568715368.

[The micromorphologic relationship between resin and dentin in Class V restorations: an in vivo and in vitro investigation.](#)

Ferrari M.

Quintessence Int. 1994 Sep;25(9):621-5.

PMID:

7568715

[Similar articles](#)

Select item 7986439369.

[Clinical and laboratory evaluation of adhesive restorative systems.](#)

Ferrari M, Yamamoto K, Vichi A, Finger WJ.

Am J Dent. 1994 Aug;7(4):217-9.

PMID:

7986439

[Similar articles](#)

Select item 7991772370.

[In vivo evaluation of glass-ionomer cement adhesion to dentin.](#)

Mason PN, Ferrari M.

Quintessence Int. 1994 Jul;25(7):499-504.

PMID:

7991772

[Similar articles](#)

Select item 7939605371.

[Cobalt exposure evaluation in dental prostheses production.](#)

Leghissa P, Ferrari MT, Piazzolla S, Caironi M, Parigi PC, Lebbolo E.

Sci Total Environ. 1994 Jun 30;150(1-3):253-7.

PMID:

7939605

[Similar articles](#)

Select item 7995696372.

[Marginal adaptation of crowns: a scanning electron microscopic investigation.](#)

Ferrari M, Mason PN, Poli L, Di Dente M.

Int J Periodontics Restorative Dent. 1994 Jun;14(3):272-9.

PMID:

7995696

[Similar articles](#)

Select item 8054639373.

[An evaluation of the effect of the adhesive luting on microleakage of the IPS empress crowns.](#)

Ferrari M, Dalloca L, Kugel G, Bertelli E.

Pract Periodontics Aesthet Dent. 1994 May;6(4):15-23; quiz 24.

PMID:

8054639

[Similar articles](#)

Select item 8196008374.

[Morphologic aspects of the resin-dentin interdiffusion zone with five different dentin adhesive systems tested in vivo.](#)

Ferrari M, Cagidiaco CM, Mason PN.

J Prosthet Dent. 1994 Apr;71(4):404-8.

PMID:

8196008

[Similar articles](#)

Select item 20830881375.

[Adaptability and microleakage of indirect resin inlays: an in vivo investigation.](#)

Ferrari M, Mason PN.

Quintessence Int. 1993 Dec;24(12):861-5.

PMID:

20830881

[Similar articles](#)

Select item 8254556376.

[A simple method for permanent identification of porcelain veneered crowns and fixed partial dentures.](#)

Ferrari M.

J Prosthet Dent. 1993 Nov;70(5):480. No abstract available.

PMID:

8254556

[Similar articles](#)

Select item 8254552377.

[Preliminary report of an experimental design for in vivo testing of bonded restorations applied to a new enamel-dentinal bonding agent.](#)

Ferrari M, Cagidiaco MC, Gesi A, Balleri P.

J Prosthet Dent. 1993 Nov;70(5):465-7.

PMID:

8254552

[Similar articles](#)

Select item 8121989378.

[A 5-year report on a enamel-dentinal bonding agent and microfilled resin system.](#)

Ferrari M, Bertelli E, Finger W.

Quintessence Int. 1993 Oct;24(10):735-41.

PMID:

8121989

[Similar articles](#)

Select item 8511256379.

[Hydrocolloid impressions of multicrootated teeth: a clinical report.](#)

Ferrari M, Balleri P.

Quintessence Int. 1993 Jan;24(1):35-7.

PMID:

8511256

[Similar articles](#)

Select item 1428612380.

[Cement thickness and microleakage under metal-ceramic restorations with a facial butted margin: an in vivo investigation.](#)

Cagidiaco MC, Ferrari M, Bertelli E, Mason PN, Russo J.

Int J Periodontics Restorative Dent. 1992;12(4):324-31.

PMID:

1428612

[Similar articles](#)

Select item 1343012381.

[Measurement of enamel thickness in relation to reduction for etched laminate veneers.](#)

Ferrari M, Patroni S, Balleri P.

Int J Periodontics Restorative Dent. 1992;12(5):407-13.

PMID:

1343012

[Similar articles](#)

Select item 1298322382.

[Marginal leakage of a new adhesive restorative system: a preliminary in vivo investigation.](#)

Ferrari M, Finger WJ, Gesi A.

J Esthet Dent. 1992;4 Suppl:32-5.

PMID:

1298322

[Similar articles](#)

Select item 1859625383.

[\[Preparation for ceramic veneers\].](#)

Ferrari M, Mason PN, Patroni S, Mannocci F.

Attual Dent. 1991 Mar 31;7(12):6-9, 11-3. Italian. No abstract available.

PMID:

1859625

[Similar articles](#)

Select item 1906284384.

[\[Esthetic posterior restorations with the indirect method. 1\].](#)

Ferrari M, Bertelli E, Cinelli A, Gesi A.

Attual Dent. 1991 Mar 17;7(10):8-14. Italian. No abstract available.

PMID:

1906284

[Similar articles](#)

Select item 1906283385.

[\[Esthetic posterior restorations with the indirect method. 2\].](#)

Ferrari M, Bertelli E, Gesi A, Doccini D.

Attual Dent. 1991 Mar 17;7(10):16-9, 121-2. Italian. No abstract available.

PMID:

1906283

[Similar articles](#)

Select item 1781873386.

[Cement thickness and microleakage under Dicor crowns: an in vivo investigation.](#)

Ferrari M.

Int J Prosthodont. 1991 Mar-Apr;4(2):126-31.

PMID:

1781873

[Similar articles](#)

Select item 2018624387.

[\[Polishing of the interproximal area in amalgam restorations\].](#)

Ferrari M, Mason PN, Bertelli E, Lorenzini G.

Attual Dent. 1991 Jan 20;7(2):8-11, 13-5. Italian. No abstract available.

PMID:

2018624

[Similar articles](#)

Select item 2009140388.

[\[Polishing of the interproximal areas in AMG restorations\].](#)

Ferrari M, Bertelli E, Balleri P, Lorenzo F.

Attual Dent. 1991 Jan 13;7(1):8-12. Italian. No abstract available.

PMID:

2009140

[Similar articles](#)

Select item 2288695389.

[\[Maintenance of esthetic composite restorations\].](#)

Ferrari M, Bertelli E, Balleri P.

Attual Dent. 1990 Nov-11;6(39):8-12, 14, 16-7. Italian. No abstract available.

PMID:

2288695

[Similar articles](#)

Select item 2288694390.

[\[Polishing and maintenance of amalgam restorations\].](#)

Bertelli E, **Ferrari M**, Fanciullini F, Lorenzo F.

Attual Dent. 1990 Nov-11;6(39):18-9, 21-3, 26-7. Review. Italian. No abstract available.

PMID:

2288694

[Similar articles](#)

Select item 2128126391.

[A new dentinal bonding agent and microfilled resin system: a 2-year clinical report.](#)

Ferrari M, Mason PN, Bertelli E.

Quintessence Int. 1990 Nov;21(11):875-81.

PMID:

2128126

[Similar articles](#)

Select item 2691655392.

[Evaluation of a chemical etching solution for nickel-chromium-beryllium and chromium-cobalt alloys.](#)

Ferrari M, Cagidiaco MC, Borracchini A, Bertelli E.

J Prosthet Dent. 1989 Nov;62(5):516-21.

PMID:

2691655

[Similar articles](#)

Select item 2700986393.

[Clinical evaluation of resin bonded retainers.](#)

Ferrari M, Mason PN, Cagidiaco D, Cagidiaco MC.

Int J Periodontics Restorative Dent. 1989;9(3):207-19. No abstract available.

PMID:

2700986

[Similar articles](#)

Select item 3278099394.

[Evaluation of resin-bonded retainers with the scanning electron microscope.](#)

Ferrari M, Cagidiaco MC, Breschi R.

J Prosthet Dent. 1988 Feb;59(2):160-5.

PMID:

3278099

[Similar articles](#)

Select item 3302214395.

[Anatomic guide for reduction of enamel for acid-etched retainers.](#)

Ferrari M, Cagidiaco C, Bertelli E.

J Prosthet Dent. 1987 Jul;58(1):106-10. No abstract available.

PMID:

3302214

[Similar articles](#)

Select item 3331528396.

[\[Clinical verification of 200 Maryland bridges\].](#)

Mason PN, Cagidiaco D, **Ferrari M**.

Attual Dent. 1987 May 3;3(17):10-1, 13, 15 passim. Italian. No abstract available.

PMID:

3331528

[Similar articles](#)

Select item 3553550397.

[Microscopic examination of resin bond to enamel and retainer with a phosphate monomer resin.](#)

Ferrari M, Cagidiaco MC, Breschi R.

J Prosthet Dent. 1987 Mar;57(3):298-301. No abstract available.

PMID:

3553550

[Similar articles](#)

Select item 3026417398.

[\[Mixed rapid restorative technics\].](#)

Vincenzi GP, Rigo A, **Ferrari M**, Cavalleri G.

Attual Dent. 1986 Sep 28;2(30):26-9, 32-5. Italian. No abstract available.

PMID:

3026417

[Similar articles](#)

Select item 3534540399.

[\[Scanning electron microscopy of the metal etching for the Maryland bridge. II\].](#)

Bertelli E, Luzi P, Borracchini A, **Ferrari M**, Sforza V.

Minerva Stomatol. 1986 Jul-Aug;35(7-8):731-7. Italian. No abstract available.

PMID:

3534540

[Similar articles](#)

Select item 3533108400.

[\[Which etching for improvement of the retention of the Maryland bridge. Chemically is better\].](#)

Cagidiaco D, **Ferrari M**, Cagidiaco MC.

Attual Dent. 1986 May 18;2(19):8-9, 11, 13-5 passim. Italian. No abstract available.

PMID:

3533108

[Similar articles](#)

Select item 3524882401.

[Periodontal maintenance: a review of the literature.](#)

Ferrari M, Keene JJ Jr.

Bur. 1986 Winter;88(1):45-7. Review. No abstract available.

PMID:

3524882

[Similar articles](#)

Select item 3894914402.

[\[Scanning electron microscopic findings on metal etching for a Maryland Bridge \(1\)\].](#)

Bertelli E, Luzi P, Boracchini A, **Ferrari M**, Sforza V.

Minerva Stomatol. 1985 May-Jun;34(3):519-25. Italian. No abstract available.

PMID:

3894914

[Similar articles](#)

Select item 3870458403.

[\[Apicoectomy. Retrograde obturation with previously sterilized silver amalgam\].](#)

Grunberg J, **Ferrari M**, Pereira de Scasso M, Pérez E, Pivel L.

An Fac Odontol. 1985-1986 May;20(23):55-61. Spanish. No abstract available.

PMID:

3870458

[Similar articles](#)

Select item 6399266404.

[\[The Maryland bridge\].](#)

Ferrari M, Cagidiaco MC.

Dent Cadmos. 1984 Oct;52(10):39, 42-3, 46-7. Italian. No abstract available.

PMID:

6399266

[Similar articles](#)

Select item 6443508405.

[\[Prosthetic design using the Kennedy classification \(III\)\].](#)

Silvestrini-Biavati P, **Ferrari M**.

Parodontol Stomatol (Nuova). 1984 Sep-Dec;23(3 Suppl 3):249-50. Italian. No abstract available.

PMID:

6443508

[Similar articles](#)

Select item 6443507406.

[\[Prosthetic design using the Kennedy classification \(II\)\].](#)

Silvestrini-Biavati P, **Ferrari M.**

Parodontol Stomatol (Nuova). 1984 Sep-Dec;23(3 Suppl 3):245-7. Italian. No abstract available.

PMID:

6443507

[Similar articles](#)

Select item 6443506407.

[\[Prosthetic design using the Kennedy classification \(I\)\].](#)

Silvestrini-Biavati P, **Ferrari M.**

Parodontol Stomatol (Nuova). 1984 Sep-Dec;23(3 Suppl 3):241-3. Italian. No abstract available.

PMID:

6443506

[Similar articles](#)

Select item 6382084408.

[\[A new method for the construction of cast crowns\].](#)

Cagidiaco D, Cagidiaco MC, **Ferrari M.**

Riv Odontoiatr Amici Brugg. 1983 Oct-Dec;2(4):301-4. Italian. No abstract available.

PMID:

6382084

[Similar articles](#)